







## A Green Oasis

Alkaff Oasis, the second project under HDB's Bidadari Masterplan, is situated at the junction between Bidadari Park Drive and Alkaff Crescent.

Alkaff Oasis is designed to create an oasis where stretches of green spaces fuse landscape to the blocks and connect nature to people. The development consists of 16 residential blocks arranged along the periphery of the site.

Sky Terraces and roof gardens located above the multi-storey car parks are open to the public.

You can find a home that suits your needs from a total of 1,594 units offering 2-room Flexi, 3-, 4-, 5-room, and 3Gen Flats. Please refer to the site plan to look at the facilities Alkaff Oasis will have.






.

## **Important Notes**

HDB precincts are planned to serve the evolving needs of the community. There are spaces catered for future inclusion of amenities/facilities (such as childcare centres, elderly-related facilities, education centres, residents' committee centres and day activity centres), commercial facilities (such as shops and eating houses), mechanical and electrical rooms and such other facilities depending on the prevailing needs. These spaces could be in the void decks, common property, car parks or stand-alone community buildings.

To facilitate your flat selection, we have provided information on the surrounding land use, proposed facilities and their locations in the maps and plans in this brochure. As the information provided is based on the current planning intent of the relevant government agencies, they are indicative only and are subject to review from time to time.

# BIDADARI ESTATE (In Toa Payoh Town)



 LEGEND:

 O
 MRT Line & Station
 CG
 Common Green
 Scale
 0
 200
 400
 Metres

 MRT Line (U/C)
 (u/c)
 Under Construction
 100
 300
 500

==== Under Construction / Future Road

Elderly Facility (Existing/Planned/Under-Construction)

For more information on other social facilities, please refer to OneMap at http://www.onemap.sg

- \* Area currently occupied by Mt Vernon Columbarium including the funeral parlours is earmarked for the developments in Bidadari Estate. Plans to relocate the niches have been announced by NEA on 28 Oct 2015.
- \*\* Part of the existing Mount Vernon Columbarium site has been set aside for a new and modern Mount Vernon Funeral Parlour (MVFP).
- # The Proposed Alkaff Lake will also serve as a stormwater retention pond.

## Notes:

All proposed developments are subject to change and planning approval.

Proposed Place of Worship includes examples like Church, Mosque, Chinese Temple, Hindu Temple, etc., subject to change and planning approval. Proposed Civic & Community Institution includes examples like Community Centre/Club, Association, Home for the Aged, etc., subject to change and planning approval.

Proposed Health & Medical Care include examples such as Hospitals, Polyclinics, Clinics, Nursing Homes and Eldercare Facilities, etc, subject to change and planning approval.

The proposed facilities and their locations as shown are indicative only. The proposed facilities may include other ancillary uses allowed under URA's prevailing Development Control guidelines. For example, places of worship may also include columbarium as an ancillary use, while community centres may also include childcare centres. The implementation of the facilities is subject to review from time to time by the relevant authorities.

The information contained herein is subject to change at any time without notice and cannot form part of an offer or contract. While reasonable care has been taken in providing this information, HDB shall not be responsible in any way for any damage or loss suffered by any person whether directly or indirectly as a result of reliance on the said information or as a result of any error or omission therein.




## **Eco-Friendly Living**

To encourage a 'green' lifestyle, Alkaff Oasis will have several eco-friendly features:

- Separate chutes for recyclable waste
- Motion sensor controlled energy efficient lighting at staircases to reduce energy consumption
- Regenerative lifts to reduce energy consumption
- Eco-pedestals in bathrooms to encourage water conservation
- Bicycle stands to encourage cycling as an environmentally friendly form of transport
- Facilitate the Car-sharing scheme by making parking spaces available for shared cars
- Use of sustainable and recycled products in the development
- Pneumatic Waste Conveyance System to provide cleaner waste disposal





## **Lovely Homes**

Alkaff Oasis offers 2-room Flexi, 3-, 4-, 5-room, and 3Gen flats. The 2-room Flexi flats will come in 2 sizes: 36 sqm and 45 sqm and are available either on a 99-year or short-lease.

Each 2-room Flexi flat will come with floor finishes in the kitchen, household shelter and bathroom. Wall tiles will also be provided in the bathroom and kitchen. These flats will come with a sliding partition/ door for the bedroom and folding bathroom door. As the 2-room Flexi flats on short leases are meant for the elderly, they will be fitted with grab bars.

The 3-, 4-, and 5-room flats will come with floor finishes in the kitchen, household shelter, service yard, and bathrooms. Wall tiles will also be provided in the bathroom and kitchen.

All new HDB flats have Universal Design features such as wider corridors, ramps instead of steps to allow for ageing in place.

## **Optional Component Scheme**

The Optional Component Scheme provides convenience for our buyers, and is offered on an opt-in basis. Please refer to the attached Optional Component Scheme leaflets for details.

The cost of the optional components will be added to the selling price of the flat.

## Without Living/Dining/Bedroom Floor Finishes (Default)



LAYOUT IDEAS FOR 2-ROOM FLEXI (TYPE 1) APPROX. FLOOR AREA 38 sqm (Inclusive of Internal Floor Area 36 sqm and Air-Con Ledge)

## With Living/Dining/Bedroom Floor Finishes



LAYOUT IDEAS FOR 2-ROOM FLEXI (TYPE 1) APPROX. FLOOR AREA 38 sqm (Inclusive of Internal Floor Area 36 sqm and Air-Con Ledge)



LAYOUT IDEAS FOR 2-ROOM FLEXI (TYPE 2) APPROX. FLOOR AREA 47 sqm (Inclusive of Internal Floor Area 45 sqm and Air-Con Ledge)

6

## Open Kitchen Concept (Default)



LAYOUT IDEAS FOR 3-ROOM APPROX. FLOOR AREA 68 sqm (Inclusive of Internal Floor Area 65 sqm and Air-Con Ledge)

## With Kitchen Partition Wall



LAYOUT IDEAS FOR 3-ROOM APPROX. FLOOR AREA 68 sqm (Inclusive of Internal Floor Area 65 sqm and Air-Con Ledge)

## Open Kitchen Concept (Default)



LAYOUT IDEAS FOR 4-ROOM APPROX. FLOOR AREA 93 sqm (Inclusive of Internal Floor Area 90 sqm and Air-Con Ledge)



## With Kitchen Partition Wall



LAYOUT IDEAS FOR 4-ROOM APPROX. FLOOR AREA 93 sqm (Inclusive of Internal Floor Area 90 sqm and Air-Con Ledge)

## Open Kitchen Concept (Default)



LAYOUT IDEAS FOR 5-ROOM APPROX. FLOOR AREA 113 sqm (Inclusive of Internal Floor Area 110 sqm and Air-Con Ledge)

## With Kitchen Partition Wall



LAYOUT IDEAS FOR 5-ROOM APPROX. FLOOR AREA 113 sqm (Inclusive of Internal Floor Area 110 sqm and Air-Con Ledge)

## Open Kitchen Concept (Default)



LAYOUT IDEAS FOR 3GEN FLAT APPROX. FLOOR AREA 120 sqm (Inclusive of Internal Floor Area 115 sqm and Air-Con Ledge)

## With Kitchen Partition Wall



LAYOUT IDEAS FOR 3GEN FLAT APPROX. FLOOR AREA 120 sqm (Inclusive of Internal Floor Area 115 sqm and Air-Con Ledge)





Applicants are encouraged to visit the place before booking a flat.

8





LEGEND									
	2 - Room Flexi ( Type 1 )			Utility Centre (UC) at 1st. Storey					
	2 - Room Flexi ( Type 2 )			Multi-Storey Car Park					
	3 - Room			Open Space					
	4 - Room			Staircase					
	5 - Room			Driveway					
	3Gen Flat			lised Refuse Chute / Chute for able Refuse(Pneumatic System)					
	Reserved for Development / Existing Development		Corrido	,					
	Linkway / Linkbridge(LB) / Precinct Pavillion / Drop - off Porch(DOP) / Shelter (S)	$\times$	Lift						
	Trellis		Service	e Bay					
	Surrounding Building / Structures	( U/C ) Under Construction							
	Future Amenties / Facilities (FA/F) / Residents' Committee Centre (RCC)								
)><(	Childcare Centre (CCC) at 1st storey								
	Children Playground (PG) / Adult Fitness Stations (AFS) / Elderly Fitness Station (EFS) / Wheelchair Fitness Station(WFS) / Hardcourt (HC)								
	Electrical Sub-Stations (ESS) at 1st. Storey								
	Drainage Reserve								

Block Number	Number of Storeys	2 Room Flexi (Type 1)	2 Room Flexi (Type 2)	3 Room	4 Room	5 Room	3Gen	Total	Lift opens at
107A	13/16	-	-	78	52	-	1-5	145	Every Storey
107B	16	-	-	-	30	22	26	78	Every Storey
108A	13/16	-	-	96	60	-	-	156	Every Storey
108B	17	-	-	-	32	30	-	62	Every Storey
109A	17	-	-	-	32	30	-	62	Every Storey
109B	17	-	-	-	32	30	-	62	Every Storey
110A	13/16	-	-	-	97	28	15	140	Every Storey
110B	13/16	-	-	-	92	25	15	132	Every Storey
111A	12/16	24	22	-	53	-	-	99	Every Storey
111B	12/16	22	55	-	37	-	-	114	Every Storey
112A	12/16	20	55	-	37	-	-	112	Every Storey
112B	16	-	-	15	75	-	-	90	Every Storey
113A	16	-	-	13	72	-	-	85	Every Storey
113B	16	-	-	43	25	-	-	68	Every Storey
114A	6/16	-	10	49	37	-	-	96	Every Storey
114B	6/16	-	10	46	37	-	-	93	Every Storey
Grand Total		66	152	340	800	165	71	1594	

## Notes

All proposed developments are subject to change and planning approval.

The proposed facilities and their locations as shown are indicative only. The proposed facilities may include other ancillary uses allowed under URA's prevailing Development Control guidelines. For example, places of worship may also include columbarium as an ancillary use, while community centres may also include childcare centres. The implementation of the facilities is subject to review from time to time by the relevant authorities.

The use of the void deck in any apartment block, common property (such as precinct pavilion), car park or stand-alone community building for future amenities/facilities (such as childcare centres, elderly related facilities, education centres, residents' committee centres and day activity centres), commercial facilities (such as shops and eating houses), mechanical and electrical rooms and such other facilities is subject to review from time to time.

The information contained herein is subject to change at any time without notice and cannot form part of an offer or contract. While reasonable care has been taken in providing this information, HDB shall not be responsible in any way for any damage or loss suffered by any person whether directly or indirectly as a result of reliance on the said information or as a result of any error or omission therein.



## **BLK 107A** (2ND TO 5TH STOREY FLOOR PLAN)

UNITS AT AND ABOVE 6TH STOREY ARE HIGHER THAN THE MAIN ROOF GARDEN LEVEL OF BLOCK 109 \* FINS/WALL PROTRUSION AT THE FACADE MAY BE SMALLER DUE TO TAPERED DESIGN.

## 3 ROOM 4 ROOM

LEGEND:

## 3GEN FLAT

## WINDOW LEGEND:

W1 - THREE QUARTER HEIGHT WINDOW (APPROX. 550mm HIGH PARAPET WALL) UNLESS OTHERWISE INDICATED, ALL WINDOWS WILL BE STANDARD HEIGHT WINDOWS

The coloured floor plan is not intended to demarcate the boundary of the flat.



## **BLK 107A** (6TH TO 13TH STOREY FLOOR PLAN)

UNITS AT AND ABOVE 6TH STOREY ARE HIGHER THAN THE MAIN ROOF GARDEN LEVEL OF BLOCK 109  $^{\star}$  FINS/WALL PROTRUSION AT THE FACADE MAY BE SMALLER DUE TO TAPERED DESIGN.

#### LEGEND:

3 ROOM 4 ROOM

3GEN FLAT

### WINDOW LEGEND:

W1 - THREE QUARTER HEIGHT WINDOW (APPROX. 550mm HIGH PARAPET WALL) UNLESS OTHERWISE INDICATED, ALL WINDOWS WILL BE STANDARD HEIGHT WINDOWS

The coloured floor plan is not intended to demarcate the boundary of the flat.



## BLK 107A (14TH TO 16TH STOREY FLOOR PLAN)

UNITS AT AND ABOVE 6TH STOREY ARE HIGHER THAN THE MAIN ROOF GARDEN LEVEL OF BLOCK 109 \* FINS/WALL PROTRUSION AT THE FACADE MAY BE SMALLER DUE TO TAPERED DESIGN.


# 3 ROOM 4 ROOM 3GEN FLAT

LEGEND:

## WINDOW LEGEND:

W1 - THREE QUARTER HEIGHT WINDOW (APPROX. 550mm HIGH PARAPET WALL)
UNLESS OTHERWISE INDICATED, ALL WINDOWS WILL BE STANDARD HEIGHT WINDOWS

The coloured floor plan is not intended to demarcate the boundary of the flat.



## BLOCK -107B (2ND TO 5TH STOREY FLOOR PLAN)

UNITS AT AND ABOVE 6TH STOREY ARE HIGHER THAN THE MAIN ROOF GARDEN LEVEL OF BLOCK 109  $^{\star}$  FINS/WALL PROTRUSION AT THE FACADE MAY BE SMALLER DUE TO TAPERED DESIGN.

#### LEGEND:




3GEN FLAT

## WINDOW LEGEND:

W1 - THREE QUARTER HEIGHT WINDOW (APPROX. 550mm HIGH PARAPET WALL) UNLESS OTHERWISE INDICATED, ALL WINDOWS WILL BE STANDARD HEIGHT WINDOWS

(The coloured floor plan is not intended to demarcate the boundary of the flat.)



BLOCK -107B (6TH TO 16TH STOREY FLOOR PLAN)

UNITS AT AND ABOVE 6TH STOREY ARE HIGHER THAN THE MAIN ROOF GARDEN LEVEL OF BLOCK 109  $^{\star}$  FINS/WALL PROTRUSION AT THE FACADE MAY BE SMALLER DUE TO TAPERED DESIGN.

\_\_\_\_

LEGEND:

4 ROOM

5 ROOM

3GEN FLAT

### WINDOW LEGEND:

W1 - THREE QUARTER HEIGHT WINDOW (APPROX. 550mm HIGH PARAPET WALL)
UNLESS OTHERWISE INDICATED, ALL WINDOWS WILL BE STANDARD HEIGHT WINDOWS

The coloured floor plan is not intended to demarcate the boundary of the flat.



## **BLK 108A** (1ST STOREY FLOOR PLAN)

\* FINS/WALL PROTRUSION AT THE FACADE MAY BE SMALLER DUE TO TAPERED DESIGN.


LEGEND:



#### WINDOW LEGEND:

W1 - THREE QUARTER HEIGHT WINDOW (APPROX. 550mm HIGH PARAPET WALL) UNLESS OTHERWISE INDICATED, ALL WINDOWS WILL BE STANDARD HEIGHT WINDOWS

The coloured floor plan is not intended to demarcate the boundary of the flat.



## **BLK 108A** (2ND TO 10TH & 13TH STOREY FLOOR PLAN)


\* FINS/WALL PROTRUSION AT THE FACADE MAY BE SMALLER DUE TO TAPERED DESIGN.




LEGEND:

#### WINDOW LEGEND:

W1 - THREE QUARTER HEIGHT WINDOW (APPROX. 550mm HIGH PARAPET WALL) UNLESS OTHERWISE INDICATED, ALL WINDOWS WILL BE STANDARD HEIGHT WINDOWS





## BLK 108A (11TH & 12TH STOREY FLOOR PLAN)

\* FINS/WALL PROTRUSION AT THE FACADE MAY BE SMALLER DUE TO TAPERED DESIGN.

## LEGEND:


3 ROOM

4 ROOM

#### WINDOW LEGEND:

W1 - THREE QUARTER HEIGHT WINDOW (APPROX. 550mm HIGH PARAPET WALL)
UNLESS OTHERWISE INDICATED, ALL WINDOWS WILL BE STANDARD HEIGHT WINDOWS

The coloured floor plan is not intended to demarcate the boundary of the flat.



## BLK 108A (14TH TO 16TH STOREY FLOOR PLAN)


\* FINS/WALL PROTRUSION AT THE FACADE MAY BE SMALLER DUE TO TAPERED DESIGN.



#### WINDOW LEGEND:

W1 - THREE QUARTER HEIGHT WINDOW (APPROX. 550mm HIGH PARAPET WALL)
UNLESS OTHERWISE INDICATED, ALL WINDOWS WILL BE STANDARD HEIGHT WINDOWS





## BLK 108B (2ND STOREY FLOOR PLAN)

UNITS AT AND ABOVE 6TH STOREY ARE HIGHER THAN THE MAIN ROOF GARDEN LEVEL OF BLOCK 109 \* FINS/WALL PROTRUSION AT THE FACADE MAY BE SMALLER DUE TO TAPERED DESIGN.

## LEGEND:



4 ROOM

### WINDOW LEGEND:

W1 - THREE QUARTER HEIGHT WINDOW (APPROX. 550mm HIGH PARAPET WALL)
UNLESS OTHERWISE INDICATED, ALL WINDOWS WILL BE STANDARD HEIGHT WINDOWS








W1 - THREE QUARTER HEIGHT WINDOW (APPROX. 550mm HIGH PARAPET WALL)
UNLESS OTHERWISE INDICATED, ALL WINDOWS WILL BE STANDARD HEIGHT WINDOWS


The coloured floor plan is not intended to demarcate the boundary of the flat.



## BLK 108B (3RD TO 17TH STOREY FLOOR PLAN)

UNITS AT AND ABOVE 6TH STOREY ARE HIGHER THAN THE MAIN ROOF GARDEN LEVEL OF BLOCK 109 \* FINS/WALL PROTRUSION AT THE FACADE MAY BE SMALLER DUE TO TAPERED DESIGN.





## **BLK 109A** (2ND STOREY FLOOR PLAN)

UNITS AT AND ABOVE 6TH STOREY ARE HIGHER THAN THE MAIN ROOF GARDEN LEVEL OF BLOCK 109  $^{\star}$  FINS/WALL PROTRUSION AT THE FACADE MAY BE SMALLER DUE TO TAPERED DESIGN.


### LEGEND:




4 ROOM

## WINDOW LEGEND:

W1 - THREE QUARTER HEIGHT WINDOW (APPROX. 550mm HIGH PARAPET WALL) UNLESS OTHERWISE INDICATED, ALL WINDOWS WILL BE STANDARD HEIGHT WINDOWS





## BLK 109A (3RD TO 17TH STOREY FLOOR PLAN)

UNITS AT AND ABOVE 6TH STOREY ARE HIGHER THAN THE MAIN ROOF GARDEN LEVEL OF BLOCK 109 \* FINS/WALL PROTRUSION AT THE FACADE MAY BE SMALLER DUE TO TAPERED DESIGN.


### LEGEND:


4 ROOM

5 ROOM

## WINDOW LEGEND:

W1 - THREE QUARTER HEIGHT WINDOW (APPROX. 550mm HIGH PARAPET WALL) UNLESS OTHERWISE INDICATED, ALL WINDOWS WILL BE STANDARD HEIGHT WINDOWS





## BLK 109B (2ND STOREY FLOOR PLAN)

UNITS AT AND ABOVE 6TH STOREY ARE HIGHER THAN THE MAIN ROOF GARDEN LEVEL OF BLOCK 109  $^{\star}$  FINS/WALL PROTRUSION AT THE FACADE MAY BE SMALLER DUE TO TAPERED DESIGN.

#### LEGEND:



#### WINDOW LEGEND:

W1 - THREE QUARTER HEIGHT WINDOW (APPROX. 550mm HIGH PARAPET WALL)
UNLESS OTHERWISE INDICATED, ALL WINDOWS WILL BE STANDARD HEIGHT WINDOWS







4 ROOM



5 ROOM

### WINDOW LEGEND:

W1 - THREE QUARTER HEIGHT WINDOW (APPROX. 550mm HIGH PARAPET WALL)
UNLESS OTHERWISE INDICATED, ALL WINDOWS WILL BE STANDARD HEIGHT WINDOWS

The coloured floor plan is not intended to demarcate the boundary of the flat.



## BLK 109B (3RD TO 17TH STOREY FLOOR PLAN)

UNITS AT AND ABOVE 6TH STOREY ARE HIGHER THAN THE MAIN ROOF GARDEN LEVEL OF BLOCK 109 \* FINS/WALL PROTRUSION AT THE FACADE MAY BE SMALLER DUE TO TAPERED DESIGN.





4 ROOM

LEGEND:

W1 - THREE QUARTER HEIGHT WINDOW (APPROX. 550mm HIGH PARAPET WALL)
UNLESS OTHERWISE INDICATED, ALL WINDOWS WILL BE STANDARD HEIGHT WINDOWS



4 ROOM 3GEN FLAT

LEGEND:

W1 - THREE QUARTER HEIGHT WINDOW (APPROX. 550mm HIGH PARAPET WALL)
UNLESS OTHERWISE INDICATED, ALL WINDOWS WILL BE STANDARD HEIGHT WINDOWS



4 ROOM
5 ROOM
3GEN FLAT

LEGEND:

W1 - THREE QUARTER HEIGHT WINDOW (APPROX. 550mm HIGH PARAPET WALL)
UNLESS OTHERWISE INDICATED, ALL WINDOWS WILL BE STANDARD HEIGHT WINDOWS



4 ROOM
5 ROOM
3GEN FLAT

LEGEND:

W1 - THREE QUARTER HEIGHT WINDOW (APPROX. 550mm HIGH PARAPET WALL)
UNLESS OTHERWISE INDICATED, ALL WINDOWS WILL BE STANDARD HEIGHT WINDOWS



## LEGEND:

4 ROOM

## WINDOW LEGEND:

W1 - THREE QUARTER HEIGHT WINDOW (APPROX. 550mm HIGH PARAPET WALL)
UNLESS OTHERWISE INDICATED, ALL WINDOWS WILL BE STANDARD HEIGHT WINDOWS



4 ROOM
5 ROOM
3GEN FLAT

LEGEND:

W1 - THREE QUARTER HEIGHT WINDOW (APPROX. 550mm HIGH PARAPET WALL)
UNLESS OTHERWISE INDICATED, ALL WINDOWS WILL BE STANDARD HEIGHT WINDOWS



4 ROOM
5 ROOM
3GEN FLAT

LEGEND:

W1 - THREE QUARTER HEIGHT WINDOW (APPROX. 550mm HIGH PARAPET WALL)
UNLESS OTHERWISE INDICATED, ALL WINDOWS WILL BE STANDARD HEIGHT WINDOWS



4 ROOM
5 ROOM
3GEN FLAT

LEGEND:

W1 - THREE QUARTER HEIGHT WINDOW (APPROX. 550mm HIGH PARAPET WALL)
UNLESS OTHERWISE INDICATED, ALL WINDOWS WILL BE STANDARD HEIGHT WINDOWS



## BLK 111A (1ST STOREY FLOOR PLAN)

FOR 2-ROOM FLEXI (TYPE 1) FLATS, THE NUMBER OF PANELS FOR THE SLIDING PARTITION BETWEEN THE BEDROOM AND LIVING ROOM WILL DIFFER DEPENDING ON THE SELECTION OF THE OPTIONAL COMPONENT SCHEME (OCS), WHERE APPLICABLE.

UNITS AT AND ABOVE 6TH STOREY ARE HIGHER THAN THE MAIN ROOF GARDEN LEVEL OF BLOCK 113. \* FINS/WALL PROTRUSION AT THE FACADE MAY BE SMALLER DUE TO TAPERED DESIGN.

#### LEGEND:

2 ROOM FLEXI ( Type 1 ) 4 ROOM

## WINDOW LEGEND:

WI - THREE QUARTER HEIGHT WINDOW (APPROX. 550mm HIGH PARAPET WALL)
UNLESS OTHERWISE INDICATED, ALL WINDOWS WILL BE STANDARD HEIGHT WINDOWS

The coloured floor plan is not intended to demarcate the boundary of the flat.



## BLK 111A (2ND TO 5TH STOREY FLOOR PLAN)

FOR 2-ROOM FLEXI (TYPE 1) FLATS, THE NUMBER OF PANELS FOR THE SLIDING PARTITION BETWEEN THE BEDROOM AND LIVING ROOM WILL DIFFER DEPENDING ON THE SELECTION OF THE OPTIONAL COMPONENT SCHEME (OCS), WHERE APPLICABLE.

UNITS AT AND ABOVE 6TH STOREY ARE HIGHER THAN THE MAIN ROOF GARDEN LEVEL OF BLOCK 113. \* FINS/WALL PROTRUSION AT THE FACADE MAY BE SMALLER DUE TO TAPERED DESIGN.

## LEGEND:


2 ROOM FLEXI (Type 1)

2 ROOM FLEXI (Type 2)

4 ROOM

#### WINDOW LEGEND:

W1 - THREE QUARTER HEIGHT WINDOW (APPROX. 550mm HIGH PARAPET WALL)
UNLESS OTHERWISE INDICATED, ALL WINDOWS WILL BE STANDARD HEIGHT WINDOWS





## BLK 111A (6TH TO 12TH STOREY FLOOR PLAN)

FOR 2-ROOM FLEXI (TYPE 1) FLATS, THE NUMBER OF PANELS FOR THE SLIDING PARTITION BETWEEN THE BEDROOM AND LIVING ROOM WILL DIFFER DEPENDING ON THE SELECTION OF THE OPTIONAL COMPONENT SCHEME (OCS), WHERE APPLICABLE.

UNITS AT AND ABOVE 6TH STOREY ARE HIGHER THAN THE MAIN ROOF GARDEN LEVEL OF BLOCK 113.

\* FINS/WALL PROTRUSION AT THE FACADE MAY BE SMALLER DUE TO TAPERED DESIGN.

## LEGEND:


2 ROOM FLEXI ( Type 1 )

2 ROOM FLEXI ( Type 2 )

4 ROOM

#### WINDOW LEGEND:

WI - THREE QUARTER HEIGHT WINDOW (APPROX. 550mm HIGH PARAPET WALL)
UNLESS OTHERWISE INDICATED, ALL WINDOWS WILL BE STANDARD HEIGHT WINDOWS





## **BLK 111A** (13TH STOREY FLOOR PLAN)

UNITS AT AND ABOVE 6TH STOREY ARE HIGHER THAN THE MAIN ROOF GARDEN LEVEL OF BLOCK 113. \* FINS/WALL PROTRUSION AT THE FACADE MAY BE SMALLER DUE TO TAPERED DESIGN.

## LEGEND:



#### WINDOW LEGEND:

W1 - THREE QUARTER HEIGHT WINDOW (APPROX. 550mm HIGH PARAPET WALL) UNLESS OTHERWISE INDICATED, ALL WINDOWS WILL BE STANDARD HEIGHT WINDOWS

(The coloured floor plan is not intended to demarcate the boundary of the flat.)



## BLK 111A (14TH TO 16TH STOREY FLOOR PLAN)

UNITS AT AND ABOVE 6TH STOREY ARE HIGHER THAN THE MAIN ROOF GARDEN LEVEL OF BLOCK 113. \* FINS/WALL PROTRUSION AT THE FACADE MAY BE SMALLER DUE TO TAPERED DESIGN.


## LEGEND:



### WINDOW LEGEND:

WI - THREE QUARTER HEIGHT WINDOW (APPROX. 550mm HIGH PARAPET WALL)
UNLESS OTHERWISE INDICATED, ALL WINDOWS WILL BE STANDARD HEIGHT WINDOWS

The coloured floor plan is not intended to demarcate the boundary of the flat.



UNITS AT AND ABOVE 6TH STOREY ARE HIGHER THAN THE MAIN ROOF GARDEN LEVEL OF BLOCK 113. \* FINS/WALL PROTRUSION AT THE FACADE MAY BE SMALLER DUE TO TAPERED DESIGN.

## LEGEND:




2 ROOM FLEXI (Type 2)

## WINDOW LEGEND:

WI - THREE QUARTER HEIGHT WINDOW (APPROX. 550mm HIGH PARAPET WALL)
UNLESS OTHERWISE INDICATED, ALL WINDOWS WILL BE STANDARD HEIGHT WINDOWS

The coloured floor plan is not intended to demarcate the boundary of the flat.



## (2ND TO 5TH STOREY FLOOR PLAN)

FOR 2-ROOM FLEXI (TYPE 1) FLATS, THE NUMBER OF PANELS FOR THE SLIDING PARTITION BETWEEN THE BEDROOM AND LIVING ROOM WILL DIFFER DEPENDING ON THE SELECTION OF THE OPTIONAL COMPONENT SCHEME (OCS), WHERE APPLICABLE. UNITS AT AND ABOVE 6TH STOREY ARE HIGHER THAN THE MAIN ROOF GARDEN LEVEL OF BLOCK 113. \* FINS/WALL PROTRUSION AT THE FACADE MAY BE SMALLER DUE TO TAPERED DESIGN.

## LEGEND:




## WINDOW LEGEND:

W1 - THREE QUARTER HEIGHT WINDOW (APPROX. 550mm HIGH PARAPET WALL) UNLESS OTHERWISE INDICATED, ALL WINDOWS WILL BE STANDARD HEIGHT WINDOWS

The coloured floor plan is not intended to demarcate the boundary of the flat.

SCALE 0 8 10 METRES 2 4



# BLK 111B (6TH TO 12TH STOREY FLOOR PLAN)

FOR 2-ROOM FLEXI (TYPE 1) FLATS, THE NUMBER OF PANELS FOR THE SLIDING PARTITION BETWEEN THE BEDROOM AND LIVING ROOM WILL DIFFER DEPENDING ON THE SELECTION OF THE OPTIONAL COMPONENT SCHEME (OCS), WHERE APPLICABLE. UNITS AT AND ABOVE 6TH STOREY ARE HIGHER THAN THE MAIN ROOF GARDEN LEVEL OF BLOCK 113.

\* FINS/WALL PROTRUSION AT THE FACADE MAY BE SMALLER DUE TO TAPERED DESIGN.

#### LEGEND:

2 ROOM FLEXI ( Type 1 )

2 ROOM FLEXI ( Type 2 )

4 ROOM

#### WINDOW LEGEND:

W1 - THREE QUARTER HEIGHT WINDOW (APPROX. 550mm HIGH PARAPET WALL)
UNLESS OTHERWISE INDICATED, ALL WINDOWS WILL BE STANDARD HEIGHT WINDOWS

The coloured floor plan is not intended to demarcate the boundary of the flat.



# BLK 111B (13TH STOREY FLOOR PLAN)

UNITS AT AND ABOVE 6TH STOREY ARE HIGHER THAN THE MAIN ROOF GARDEN LEVEL OF BLOCK 113.

\* FINS/WALL PROTRUSION AT THE FACADE MAY BE SMALLER DUE TO TAPERED DESIGN.

#### LEGEND:



#### WINDOW LEGEND:

WI - THREE QUARTER HEIGHT WINDOW (APPROX. 550mm HIGH PARAPET WALL)
UNLESS OTHERWISE INDICATED, ALL WINDOWS WILL BE STANDARD HEIGHT WINDOWS

The coloured floor plan is not intended to demarcate the boundary of the flat.



# BLK 111B (14TH TO 16TH STOREY FLOOR PLAN)

UNITS AT AND ABOVE 6TH STOREY ARE HIGHER THAN THE MAIN ROOF GARDEN LEVEL OF BLOCK 113.

\* FINS/WALL PROTRUSION AT THE FACADE MAY BE SMALLER DUE TO TAPERED DESIGN.


#### LEGEND:



#### WINDOW LEGEND:


WI - THREE QUARTER HEIGHT WINDOW (APPROX. 550mm HIGH PARAPET WALL)
UNLESS OTHERWISE INDICATED, ALL WINDOWS WILL BE STANDARD HEIGHT WINDOWS

The coloured floor plan is not intended to demarcate the boundary of the flat.



UNITS AT AND ABOVE 6TH STOREY ARE HIGHER THAN THE MAIN ROOF GARDEN LEVEL OF BLOCK 113. \* FINS/WALL PROTRUSION AT THE FACADE MAY BE SMALLER DUE TO TAPERED DESIGN.


#### LEGEND:



#### WINDOW LEGEND:

W1 - THREE QUARTER HEIGHT WINDOW (APPROX. 550mm HIGH PARAPET WALL)
UNLESS OTHERWISE INDICATED, ALL WINDOWS WILL BE STANDARD HEIGHT WINDOWS

The coloured floor plan is not intended to demarcate the boundary of the flat.



UNITS AT AND ABOVE 6TH STOREY ARE HIGHER THAN THE MAIN ROOF GARDEN LEVEL OF BLOCK 113. \* FINS/WALL PROTRUSION AT THE FACADE MAY BE SMALLER DUE TO TAPERED DESIGN.

#### LEGEND:


2 ROOM FLEXI (Type 2) 4 ROOM

#### WINDOW LEGEND:

W1 - THREE QUARTER HEIGHT WINDOW (APPROX. 550mm HIGH PARAPET WALL) UNLESS OTHERWISE INDICATED, ALL WINDOWS WILL BE STANDARD HEIGHT WINDOWS

The coloured floor plan is not intended to demarcate the boundary of the flat.

SCALE 0 8 10 METRES



# BLK 112A (3RD TO 5TH STOREY FLOOR PLAN)

FOR 2-ROOM FLEXI (TYPE 1) FLATS, THE NUMBER OF PANELS FOR THE SLIDING PARTITION BETWEEN THE BEDROOM AND LIVING ROOM WILL DIFFER DEPENDING ON THE SELECTION OF THE OPTIONAL COMPONENT SCHEME (OCS), WHERE APPLICABLE. UNITS AT AND ABOVE 6TH STOREY ARE HIGHER THAN THE MAIN ROOF GARDEN LEVEL OF BLOCK 113.

\* FINS/WALL PROTRUSION AT THE FACADE MAY BE SMALLER DUE TO TAPERED DESIGN.

#### LEGEND:



#### WINDOW LEGEND:

W1 - THREE QUARTER HEIGHT WINDOW (APPROX. 550mm HIGH PARAPET WALL)
UNLESS OTHERWISE INDICATED, ALL WINDOWS WILL BE STANDARD HEIGHT WINDOWS

The coloured floor plan is not intended to demarcate the boundary of the flat.



### **BLK 112A** (6TH TO 12TH STOREY FLOOR PLAN)

FOR 2-ROOM FLEXI (TYPE 1) FLATS, THE NUMBER OF PANELS FOR THE SLIDING PARTITION BETWEEN THE BEDROOM AND LIVING ROOM WILL DIFFER DEPENDING ON THE SELECTION OF THE OPTIONAL COMPONENT SCHEME (OCS), WHERE APPLICABLE. UNITS AT AND ABOVE 6TH STOREY ARE HIGHER THAN THE MAIN ROOF GARDEN LEVEL OF BLOCK 113. \* FINS/WALL PROTRUSION AT THE FACADE MAY BE SMALLER DUE TO TAPERED DESIGN.

#### LEGEND:



#### WINDOW LEGEND:

W1 - THREE QUARTER HEIGHT WINDOW (APPROX. 550mm HIGH PARAPET WALL) UNLESS OTHERWISE INDICATED, ALL WINDOWS WILL BE STANDARD HEIGHT WINDOWS

The coloured floor plan is not intended to demarcate the boundary of the flat.





# **BLK 112A** (13TH STOREY FLOOR PLAN)

UNITS AT AND ABOVE 6TH STOREY ARE HIGHER THAN THE MAIN ROOF GARDEN LEVEL OF BLOCK 113. \* FINS/WALL PROTRUSION AT THE FACADE MAY BE SMALLER DUE TO TAPERED DESIGN.

#### LEGEND:



#### WINDOW LEGEND:

W1 - THREE QUARTER HEIGHT WINDOW (APPROX. 550mm HIGH PARAPET WALL) UNLESS OTHERWISE INDICATED, ALL WINDOWS WILL BE STANDARD HEIGHT WINDOWS

The coloured floor plan is not intended to demarcate the boundary of the flat.




# BLK 112A (14TH TO 16TH STOREY FLOOR PLAN)

UNITS AT AND ABOVE 6TH STOREY ARE HIGHER THAN THE MAIN ROOF GARDEN LEVEL OF BLOCK 113.

\* FINS/WALL PROTRUSION AT THE FACADE MAY BE SMALLER DUE TO TAPERED DESIGN.

#### LEGEND:



#### WINDOW LEGEND:

WI - THREE QUARTER HEIGHT WINDOW (APPROX. 550mm HIGH PARAPET WALL)
UNLESS OTHERWISE INDICATED, ALL WINDOWS WILL BE STANDARD HEIGHT WINDOWS

The coloured floor plan is not intended to demarcate the boundary of the flat.



# **BLK 112B** (2ND TO 16TH STOREY FLOOR PLAN)

\* FINS/WALL PROTRUSION AT THE FACADE MAY BE SMALLER DUE TO TAPERED DESIGN.

#### LEGEND:


3 ROOM

4 ROOM

#### WINDOW LEGEND:

W1 - THREE QUARTER HEIGHT WINDOW (APPROX. 550mm HIGH PARAPET WALL) UNLESS OTHERWISE INDICATED, ALL WINDOWS WILL BE STANDARD HEIGHT WINDOWS

The coloured floor plan is not intended to demarcate the boundary of the flat.





# **BLK 113A** (2ND, 3RD & 6TH TO 16TH STOREY FLOOR PLAN)

UNITS AT AND ABOVE 6TH STOREY ARE HIGHER THAN THE MAIN ROOF GARDEN LEVEL OF BLOCK 113. \* FINS/WALL PROTRUSION AT THE FACADE MAY BE SMALLER DUE TO TAPERED DESIGN.

#### LEGEND:



#### WINDOW LEGEND:

W1 - THREE QUARTER HEIGHT WINDOW (APPROX. 550mm HIGH PARAPET WALL) UNLESS OTHERWISE INDICATED, ALL WINDOWS WILL BE STANDARD HEIGHT WINDOWS

The coloured floor plan is not intended to demarcate the boundary of the flat.



# BLK 113A (4TH STOREY FLOOR PLAN)

UNITS AT AND ABOVE 6TH STOREY ARE HIGHER THAN THE MAIN ROOF GARDEN LEVEL OF BLOCK 113. \* FINS/WALL PROTRUSION AT THE FACADE MAY BE SMALLER DUE TO TAPERED DESIGN.


#### LEGEND:



#### WINDOW LEGEND:

WI - THREE QUARTER HEIGHT WINDOW (APPROX. 550mm HIGH PARAPET WALL)
UNLESS OTHERWISE INDICATED, ALL WINDOWS WILL BE STANDARD HEIGHT WINDOWS

(The coloured floor plan is not intended to demarcate the boundary of the flat.)



# **BLK 113A** (5TH STOREY FLOOR PLAN)

UNITS AT AND ABOVE 6TH STOREY ARE HIGHER THAN THE MAIN ROOF GARDEN LEVEL OF BLOCK 113. \* FINS/WALL PROTRUSION AT THE FACADE MAY BE SMALLER DUE TO TAPERED DESIGN.

#### LEGEND:




4 ROOM

#### WINDOW LEGEND:

W1 - THREE QUARTER HEIGHT WINDOW (APPROX. 550mm HIGH PARAPET WALL) UNLESS OTHERWISE INDICATED, ALL WINDOWS WILL BE STANDARD HEIGHT WINDOWS

The coloured floor plan is not intended to demarcate the boundary of the flat.



# BLK 113B (2ND STOREY FLOOR PLAN)

UNITS AT AND ABOVE 6TH STOREY ARE HIGHER THAN THE MAIN ROOF GARDEN LEVEL OF BLOCK 113. \* FINS/WALL PROTRUSION AT THE FACADE MAY BE SMALLER DUE TO TAPERED DESIGN.

#### LEGEND:



#### WINDOW LEGEND:

WI - THREE QUARTER HEIGHT WINDOW (APPROX. 550mm HIGH PARAPET WALL)
UNLESS OTHERWISE INDICATED, ALL WINDOWS WILL BE STANDARD HEIGHT WINDOWS

The coloured floor plan is not intended to demarcate the boundary of the flat.



# BLK 113B (3RD & 4TH STOREY FLOOR PLAN)

UNITS AT AND ABOVE 6TH STOREY ARE HIGHER THAN THE MAIN ROOF GARDEN LEVEL OF BLOCK 113. \* FINS/WALL PROTRUSION AT THE FACADE MAY BE SMALLER DUE TO TAPERED DESIGN.

#### LEGEND:

3 ROOM 4 ROOM

#### WINDOW LEGEND:

WI - THREE QUARTER HEIGHT WINDOW (APPROX. 550mm HIGH PARAPET WALL)
UNLESS OTHERWISE INDICATED, ALL WINDOWS WILL BE STANDARD HEIGHT WINDOWS

The coloured floor plan is not intended to demarcate the boundary of the flat.



# BLK 113B (5TH TO 10TH & 13TH TO 16TH STOREY FLOOR PLAN)

UNITS AT AND ABOVE 6TH STOREY ARE HIGHER THAN THE MAIN ROOF GARDEN LEVEL OF BLOCK 113. \* FINS/WALL PROTRUSION AT THE FACADE MAY BE SMALLER DUE TO TAPERED DESIGN.

#### LEGEND:



#### \_

#### WINDOW LEGEND:

WI - THREE QUARTER HEIGHT WINDOW (APPROX. 550mm HIGH PARAPET WALL)
UNLESS OTHERWISE INDICATED, ALL WINDOWS WILL BE STANDARD HEIGHT WINDOWS

The coloured floor plan is not intended to demarcate the boundary of the flat.





# **BLK 113B** (11TH & 12TH STOREY FLOOR PLAN)

UNITS AT AND ABOVE 6TH STOREY ARE HIGHER THAN THE MAIN ROOF GARDEN LEVEL OF BLOCK 113. \* FINS/WALL PROTRUSION AT THE FACADE MAY BE SMALLER DUE TO TAPERED DESIGN.

#### LEGEND:



#### WINDOW LEGEND:

W1 - THREE QUARTER HEIGHT WINDOW (APPROX. 550mm HIGH PARAPET WALL) UNLESS OTHERWISE INDICATED, ALL WINDOWS WILL BE STANDARD HEIGHT WINDOWS

The coloured floor plan is not intended to demarcate the boundary of the flat.

SCALE 0 8 10 METRES



# BLK 114A (2ND STOREY FLOOR PLAN)

UNITS AT AND ABOVE 6TH STOREY ARE HIGHER THAN THE MAIN ROOF GARDEN LEVEL OF BLOCK 113. \* FINS/WALL PROTRUSION AT THE FACADE MAY BE SMALLER DUE TO TAPERED DESIGN.

#### LEGEND:



### WINDOW LEGEND:

W1 - THREE QUARTER HEIGHT WINDOW (APPROX. 550mm HIGH PARAPET WALL)
UNLESS OTHERWISE INDICATED, ALL WINDOWS WILL BE STANDARD HEIGHT WINDOWS

The coloured floor plan is not intended to demarcate the boundary of the flat.



# BLK 114A (3RD TO 5TH STOREY FLOOR PLAN)

UNITS AT AND ABOVE 6TH STOREY ARE HIGHER THAN THE MAIN ROOF GARDEN LEVEL OF BLOCK 113. \* FINS/WALL PROTRUSION AT THE FACADE MAY BE SMALLER DUE TO TAPERED DESIGN.

#### LEGEND:



#### WINDOW LEGEND:

W1 - THREE QUARTER HEIGHT WINDOW (APPROX. 550mm HIGH PARAPET WALL)
UNLESS OTHERWISE INDICATED, ALL WINDOWS WILL BE STANDARD HEIGHT WINDOWS

The coloured floor plan is not intended to demarcate the boundary of the flat.



### BLK 114A (6TH STOREY FLOOR PLAN)

UNITS AT AND ABOVE 6TH STOREY ARE HIGHER THAN THE MAIN ROOF GARDEN LEVEL OF BLOCK 113. \* FINS/WALL PROTRUSION AT THE FACADE MAY BE SMALLER DUE TO TAPERED DESIGN.

#### LEGEND:

2 ROOM FLEXI (Type 2)
3 ROOM


4 ROOM

4 HOOW

#### WINDOW LEGEND:

W1 - THREE QUARTER HEIGHT WINDOW (APPROX. 550mm HIGH PARAPET WALL)
UNLESS OTHERWISE INDICATED, ALL WINDOWS WILL BE STANDARD HEIGHT WINDOWS

The coloured floor plan is not intended to demarcate the boundary of the flat.



UNITS AT AND ABOVE 6TH STOREY ARE HIGHER THAN THE MAIN ROOF GARDEN LEVEL OF BLOCK 113. \* FINS/WALL PROTRUSION AT THE FACADE MAY BE SMALLER DUE TO TAPERED DESIGN.

#### LEGEND:



#### WINDOW LEGEND:

W1 - THREE QUARTER HEIGHT WINDOW (APPROX. 550mm HIGH PARAPET WALL) UNLESS OTHERWISE INDICATED, ALL WINDOWS WILL BE STANDARD HEIGHT WINDOWS

The coloured floor plan is not intended to demarcate the boundary of the flat.





# (8TH TO 16TH STOREY FLOOR PLAN

... UNITS AT AND ABOVE 6TH STOREY ARE HIGHER THAN THE MAIN ROOF GARDEN LEVEL OF BLOCK 113. \* FINS/WALL PROTRUSION AT THE FACADE MAY BE SMALLER DUE TO TAPERED DESIGN.

#### LEGEND:



#### WINDOW LEGEND:

W1 - THREE QUARTER HEIGHT WINDOW (APPROX. 550mm HIGH PARAPET WALL) UNLESS OTHERWISE INDICATED, ALL WINDOWS WILL BE STANDARD HEIGHT WINDOWS

The coloured floor plan is not intended to demarcate the boundary of the flat.





UNITS AT AND ABOVE 6TH STOREY ARE HIGHER THAN THE MAIN ROOF GARDEN LEVEL OF BLOCK 113.  $^{\star}$  FINS/WALL PROTRUSION AT THE FACADE MAY BE SMALLER DUE TO TAPERED DESIGN.

#### LEGEND:




4 ROOM

#### WINDOW LEGEND:

W1 - THREE QUARTER HEIGHT WINDOW (APPROX. 550mm HIGH PARAPET WALL)
UNLESS OTHERWISE INDICATED, ALL WINDOWS WILL BE STANDARD HEIGHT WINDOWS

The coloured floor plan is not intended to demarcate the boundary of the flat.



# (6TH STOREY FLOOR PLAN)

UNITS AT AND ABOVE 6TH STOREY ARE HIGHER THAN THE MAIN ROOF GARDEN LEVEL OF BLOCK 113. \* FINS/WALL PROTRUSION AT THE FACADE MAY BE SMALLER DUE TO TAPERED DESIGN.


#### LEGEND:



#### WINDOW LEGEND:

W1 - THREE QUARTER HEIGHT WINDOW (APPROX. 550mm HIGH PARAPET WALL)
UNLESS OTHERWISE INDICATED, ALL WINDOWS WILL BE STANDARD HEIGHT WINDOWS

The coloured floor plan is not intended to demarcate the boundary of the flat.



# (7TH, 10TH TO 16TH STOREY FLOOR PLAN)

UNITS AT AND ABOVE 6TH STOREY ARE HIGHER THAN THE MAIN ROOF GARDEN LEVEL OF BLOCK 113. \* FINS/WALL PROTRUSION AT THE FACADE MAY BE SMALLER DUE TO TAPERED DESIGN.


#### LEGEND:



#### WINDOW LEGEND:

W1 - THREE QUARTER HEIGHT WINDOW (APPROX. 550mm HIGH PARAPET WALL) UNLESS OTHERWISE INDICATED, ALL WINDOWS WILL BE STANDARD HEIGHT WINDOWS

The coloured floor plan is not intended to demarcate the boundary of the flat.



UNITS AT AND ABOVE 6TH STOREY ARE HIGHER THAN THE MAIN ROOF GARDEN LEVEL OF BLOCK 113. \* FINS/WALL PROTRUSION AT THE FACADE MAY BE SMALLER DUE TO TAPERED DESIGN.

#### LEGEND:



4 ROOM

#### WINDOW LEGEND:

W1 - THREE QUARTER HEIGHT WINDOW (APPROX. 550mm HIGH PARAPET WALL) UNLESS OTHERWISE INDICATED, ALL WINDOWS WILL BE STANDARD HEIGHT WINDOWS

The coloured floor plan is not intended to demarcate the boundary of the flat.

#### **General Specifications for Alkaff Oasis**

For 2-Room Flexi (short lease)

#### **Foundation**

Piled foundations.

#### Structure

Reinforced concrete structural framework with reinforced concrete slabs.

#### Roof

Reinforced concrete roof slab with precast concrete secondary roofing.

#### Walls

All external and internal walls are constructed with reinforced concrete/ solid blocks/ bricks with cement plastering/ precast panels/ precast lightweight concrete partitions/ drywall partition system.

#### Windows

Aluminium framed windows with tinted glass.

**Doors** 

Entrance : decorative solid timber door and metal gate

Bedroom : laminated UPVC sliding partition/ door, where applicable

Bathroom/ WC : laminated UPVC folding door (Type D2)

Household Shelter : metal door

**Finishes** 

Ceilings : skim coated or plastered and painted

Kitchen/ Bathroom/ WC Walls : ceramic tiles

Other Walls : skim coated or plastered and painted

Living/ Dining/ Bedroom Floor : glazed porcelain tiles with laminated UPVC skirting (optional)

Kitchen Floor : glazed porcelain tiles

Bathroom/ WC Floor : ceramic tiles

Household Shelter Floor : glazed porcelain tiles

#### **Fittings**

Quality Locksets Water Closet Suite Clothes Drying Rack

**Grab Bars** 

Wash basin with tap mixer, bath/ shower mixer with shower set (optional)

Built-in kitchen cabinets with gas hob and cooker hood, kitchen sink and dish drying rack (optional)

Built-in Wardrobe (optional) Window Grilles (optional) Water Heater (optional) Lighting (optional)

#### **Services**

Gas services and concealed water supply pipes

Exposed sanitary stacks at Air-con ledge

Concealed electrical wiring to lighting and power points (including water heater and air-conditioning points)

Television points

Data points

#### **Important Notes**

- 1) The Household Shelter is designed for use as civil defence shelter. The walls, ceiling, floor and door of the Household Shelter shall not be hacked, drilled, altered or removed.
- 2) Air-con panel in the main bedroom will not be provided.
- 3) Laminated UPVC door frame shall be provided to all Bedroom and Bathroom/ WC door openings.
- 4) Any unused or unoccupied open spaces in front of or nearby/ adjacent to the flat units are not available for purchase and the HDB will not entertain any request from the flat owners to purchase and/ or enclose the unused or unoccupied open spaces.
- 5) The details of services in a flat, e.g. gas pipes, water pipes, sanitary stacks, electrical wiring, television points, data points, etc. are not indicated on the plans.
- 6) When selecting the flat, buyers may opt for items listed above as optional under the Optional Component Scheme. The cost of the optional items opted for will be added to the purchase price of the flat.

You are advised to visit HDB's website at www.hdb.gov.sg for information on renovation rules.

#### **General Specifications for Alkaff Oasis**

For 2-Room Flexi, 3-Room, 4-Room, 5-Room & 3Gen

#### **Foundation**

Piled foundations.

#### Structure

Reinforced concrete structural framework with reinforced concrete slabs.

#### Roof

Reinforced concrete roof slab with precast concrete secondary roofing.

#### Walls

All external and internal walls are constructed with reinforced concrete/ solid blocks/ bricks with cement plastering/ precast panels/ precast lightweight concrete partitions/ drywall partition system.

#### Windows

Aluminium framed windows with tinted glass.

**Doors** 

Entrance : decorative solid timber door and metal gate Bedroom : laminated UPVC door (Type D1) (optional)

: laminated UPVC sliding partition/ door for 2-Room Flexi, where applicable

Bathroom/ WC : laminated UPVC folding door (Type D2) (optional)

: laminated UPVC folding door (Type D2) for 2-Room Flexi

Household Shelter : metal door

Service Yard : aluminium framed door with glass

**Finishes** 

Ceilings : skim coated or plastered and painted

Kitchen/ Bathroom/ WC Walls : ceramic tiles

Other Walls : skim coated or plastered and painted

Living/ Dining/ Bedroom Floor : polished porcelain tiles with laminated UPVC skirting (optional)

glazed porcelain tiles with laminated UPVC skirting for 2-Room Flexi (optional)

Kitchen Floor : glazed porcelain tiles

Bathroom/ WC Floor : ceramic tiles

Service Yard Floor : glazed porcelain tiles with tile skirting

Household Shelter Floor : glazed porcelain tiles

#### **Fittings**

Quality Locksets Water Closet Suite Clothes Drying Rack

Vanity top wash basin at attached Bathroom/ WC (for 5-room & 3Gen flat), wash basin for other Bathroom/ WC (optional) Bath/ Shower mixer with shower set, tap mixer (optional)

#### Services

Gas services and concealed water supply pipes

Exposed sanitary stacks (which can be located at Service Yard and/ or Air-con ledge)

Concealed electrical wiring to lighting and power points (including water heater and air-conditioning points)

Television points

Data points

#### **Important Notes**

- 1) The Household Shelter is designed for use as civil defence shelter. The walls, ceiling, floor and door of the Household Shelter shall not be hacked, drilled, altered or removed.
- 2) Air-con panel in the main bedroom will not be provided.
- 3) Laminated UPVC door frame shall be provided to all Bedroom and Bathroom/ WC door openings.
- 4) Any unused or unoccupied open spaces in front of or nearby/ adjacent to the flat units are not available for purchase and the HDB will not entertain any request from the flat owners to purchase and/ or enclose the unused or unoccupied open spaces.
- 5) The details of services in a flat, e.g. gas pipes, water pipes, sanitary stacks, electrical wiring, television points, data points, etc. are not indicated on the plans.
- 6) When selecting the flat, buyers may opt for items listed above as optional under the Optional Component Scheme. The cost of the optional items opted for will be added to the purchase price of the flat.

You are advised to visit HDB's website at www.hdb.gov.sg for information on renovation rules.

### Disclaimer

- 1) HDB owns the copyright in all information, maps, and plans of this brochure.
- 2) The content provided in this brochure is not intended to form part of any offer or contract for the sale of flats. They are provided for your general information only, and are not statements or representations of fact.
- 3) Visual representations, such as pictures, art renderings, depictions, illustrations, photographs, drawings, as well as other graphic representations and references, are only artistic impressions. They are provided for your general information only, and are not representations of fact.
- 4) The information on this project, including but not limited to the dimensions, areas, plans, colour schemes, descriptions, and specifications, are subject to change or review without notice at our sole discretion or if required by the relevant authorities.
- 5) We may at any time, without any notice and at our sole discretion, change any aspect of this project, including but not limited to the omission, amalgamation, increase, or reduction of amenities and facilities, colour schemes, design features, and specifications.
- 6) We will not entertain any request for alteration of the layout or specifications of a flat to suit individual needs.
- 7) While reasonable care has been taken in providing the information in this brochure, we do not warrant its accuracy. We shall not be responsible in any way for any damage or loss suffered by any person whether directly or indirectly as a result of reliance on the said information or as a result of any error or omission therein.
- 8) The floor areas shown are scaled strata areas and subject to final survey.
- 9) The surrounding land use, proposed facilities and their locations as shown in the maps and plans are indicative only and subject to change. They may include ancillary uses allowed under the Urban Redevelopment Authority's prevailing Development Control guidelines.
- 10) We reserve the right to use or allow the use of
  - the void deck in any Apartment block,
  - Car park;
  - · Common property (such as precinct pavilion); or
  - · Standalone community building,

#### for:

- Future amenities/ facilities (such as child care centres, elderly-related facilities, education centres, residents' committee centres, and day activity centres);
- Commercial facilities (such as shops and eating houses);
- · Mechanical and electrical rooms; and
- · Such other facilities as we deem fit.
- 11) This brochure does not and is not intended to provide full and complete information of the guidelines or requirements of the relevant authorities. You are advised to approach the relevant authorities directly for full information and details of these guidelines and requirements.



# OPTIONAL COMPONENT SCHEME (2-ROOM FLEXI FLATS)

The Optional Component Scheme (OCS) provides convenience for flat buyers, and is offered on an opt-in basis. Choose the OCS items you want before your flat selection appointment. The cost of the OCS items will be added to the selling price of the selected flat.

The 2-room Flexi flats come in 2 sizes: 36sqm and 45sqm, and are available either on a 99-year lease or short-lease.

All 2-room Flexi flats come with:

- floor finishes in the kitchen, household shelter and bathroom
- · wall tiles in bathroom and kitchen
- sliding partition/ door for bedroom; folding bathroom door
- water closet suite in the bathroom



Grab bars will be installed for all short-lease flats to assist elderly buyers in moving around the flats

### FOR ALL 2-ROOM FLEXI FLATS

# PACKAGE 1


- Flooring in the living/ dining room and bedroom
- 3-panel sliding partition, separating the living room and bedroom (for 36sqm 2-room Flexi flat only)

#### Note:

Those who opted out of Package 1 will be provided with a 2-panel sliding partition and short wall separating living room and bedroom.



3-panel sliding partition



2-panel sliding partition

# PACKAGE 2

 Sanitary fittings, i.e. washbasin with tap mixer and shower set with bath/ shower mixer





Disclaimer: All displays and images shown here are strictly for reference only and are subject to change without notice. The displays and images shown here are conceptual and indicative only and the colour schemes, design, dimensions, type, tonal differences and specifications may differ from the actual fittings installed in the flat.



# **OPTIONAL COMPONENT SCHEME** (2-ROOM FLEXI FLATS)

### FOR SHORT-LEASE 2-ROOM FLEXI FLATS ONLY

PACKAGE 3 offers elderly buyers the convenience of having a flat in move-in condition. It comprises:


#### **ELDERLY-FRIENDLY FITTINGS**



- Built-in kitchen cabinets with gas hob and cooker hood, kitchen sink, tap and dish drying rack
- Kitchen cabinets come with mobile cabinets to provide knee space (especially for wheelchair users)
- Built-in bedroom wardrobe with a lower clothes hanging rod for easy reach


#### Option A (Default):

- · Bottom Cabinet at 850mm height (from floor level)
- Top Cabinet at 1,500mm height (from floor level)



#### Option B:

- Bottom Cabinet at 800mm height (from floor level)
- · Top Cabinet at 1,200mm height (from floor level)



Note: This drawing is not drawn to scale. All dimensions are approximate only.

An option to have a lower counter top height

#### OTHER FITTINGS



Window grilles for safety and security



Mirror and toilet roll holder



Lighting (whole unit)



Water heater

# Buyers who opt for Package 3 must select Package 1.

Disclaimer: All displays and images shown here are strictly for reference only and are subject to change without notice. The displays and images shown here are conceptual and indicative only and the colour schemes, design, dimensions, type, tonal differences and specifications may differ from the actual fittings installed in the flat.



# OPTIONAL COMPONENT SCHEME (3-, 4-, 5-ROOM AND 3GEN FLATS)

The Optional Component Scheme (OCS) provides convenience for flat buyers, and is offered on an opt-in basis. Choose the OCS items you want before your flat selection appointment. The cost of the OCS items will be added to the selling price of the selected flat.

The 3-, 4-, 5-room and 3Gen flats come with:

- floor finishes in the kitchen, household shelter, service yard and bathrooms
- wall tiles in the bathrooms and kitchen
- water closet suite in each bathroom

# YOU CAN CHOOSE TO HAVE THE FOLLOWING ITEMS INSTALLED IN YOUR SELECTED FLAT:

- Floor finishes for living/ dining room and bedrooms
- Internal doors + sanitary fittings
  - wash basin with tap mixer/ vanity top^ with tap mixer
  - shower set with bath/ shower mixer
  - <sup>^</sup> For attached bathroom of 5-room and 3Gen Flats.



Vanity top wash basin with tap mixer in attached bathroom (applicable for 5-room and 3Gen flats)



Wash basin with tap mixer



Handheld shower set with bath/ shower mixer

#### **KITCHEN PARTITION WALL (where feasible)**

To provide buyers greater flexibility in terms of layout and design, some flats will come with an open kitchen concept. You can opt-in to have a partition wall between the living/ dining area and kitchen, if you do not want an open kitchen concept.

Disclaimer: All displays and images shown here are strictly for reference only and are subject to change without notice. The displays and images shown here are conceptual and indicative only and the colour schemes, design, dimensions, type, tonal differences and specifications may differ from the actual fittings installed in the flat.

