

HDB's Sales Launch September 2019







Contemporary Homes. Vibrant Lifestyles.

Bounded by New Punggol Road, Northshore Drive, and a proposed Heritage Trail by NParks, Punggol Point Crown will comprise 9 residential blocks ranging from 6 to 26 storeys. The development's name is inspired by the crowns of existing trees along the adjacent Heritage Trail, as well as the development's landscape. You can choose from 1,545 units of 2-room Flexi, 3-, 4-, and 5-room flats.

Roof gardens at the residential blocks and above the multistorey car park (MSCP) serve as ideal spots for unwinding after a busy day or mingling with your neighbours. Fitness stations, playgrounds, a childcare centre, and a Residents' Committee Centre will also be located in the development.



Important Notes

HDB precincts are planned to serve the evolving needs of the community. There are spaces catered for future inclusion of amenities/facilities (such as childcare centres, elderly-related facilities, education centres, residents' committee centres and day activity centres), commercial facilities (such as shops and eating houses), mechanical and electrical rooms and such other facilities depending on the prevailing needs. These spaces could be in the void decks, common property, car parks or stand-alone community buildings.

To facilitate your flat selection, we have provided information on the surrounding land use, proposed facilities and their locations in the maps and plans in this brochure. As the information provided is based on the current planning intent of the relevant government agencies, they are indicative only and are subject to review from time to time.

PUNGGOL



LEGEND:

-O- MRT Line & Station ----- LRT Line & Station ===== Under Construction/Future Road (u/c) Under Construction CG Common Green ------ MRT Line & Station (under construction)

as a result of any error or omission therein.

** These site are currently being studied/proposed for rezoning as part of Draft Master Plan 2019, subject to review.

Notes:

All proposed developments are subject to change and planning approval. Proposed Place of Worship includes examples like Church, Mosque, Chinese Temple, Hindu Temple, etc., subject to change and planning approval. Proposed Civic & Community Institution includes examples like Community Centre/Club, Association, Home for the Aged, etc., subject to change and planning approval. Proposed Health & Medical Care includes examples such as Hospitals, Polyclinics, Clinics, Nursing Homes and Eldercare Facilities, etc, subject to change and planning approval. The proposed facilities and their locations as shown are indicative only. The proposed facilities may include other ancillary uses allowed under URA's prevailing Development Control guidelines. For example, places of worship and funeral parlours may also include columbarium as an ancillary use, while community centres may also include childcare centres, and schools may be upgraded or built with higher-rise blocks. The implementation of the facilities is subject to review from time to time by the relevant authorites.

Construction Industry Park comprises construction-related developments such as pre-cast yards, ready-mixed concrete plants, workers' dormitories (i.e. PPT Lodge 1A and PPT Lodge 1B), and aggregate and sand stockpiles
Punggol Town Hub is an Integrated Development which includes Community Club, Regional Library, HDB Branch Office, Hawker Centre, Child Care Centre and Health Service Centres.

The information contained herein is subject to change at any time without notice and cannot form part of an offer or contract. While reasonable care has been taken in providing this information, HDB shall not be responsible in any way for any damage or loss suffered by any person whether directly or indirectly as a result of reliance on the said information or



Located on the site for one of Singapore's earliest zoos, the old Ponggol Zoo, Punggol Point Crown's landscape will feature thematic zones inspired by various habitats. It will also have a new heritage walk which will be decorated with displays about the site's history from the 1920s, and design elements such as tiger stripes and animal footprints on the floor. The link bridge above the heritage walk will connect residents from their blocks to the MSCP roof garden and serve as a vantage point from which the development's landscaped area can be viewed. Please refer to the site plan for the facilities to be provided in this development. The facilities in this development will be accessible by the public.



Amenities Within Reach

Punggol Point Crown will be located within the Punggol Point district, at the tip of Punggol Eco-town. Punggol Point district is envisioned to be a 'Green Heritage' district that embraces nature and pays tribute to Punggol's history as a fishing village.

Punggol Point Crown will be located right in a hub of amenities and activities. You can delight in a variety of dining choices at the nearby Punggol Settlement, or run and cycle along the Punggol Promenade Nature Walk, which links to Punggol Waterway and Coney Island Park.

With the nearby Punggol Point LRT station and upcoming Punggol Coast MRT station, you will have access to recreation, shopping, and dining options, nearby or beyond the town.

Eco-friendly Living

In a bid to go green for the earth, Punggol Point Crown will have several eco-friendly features to encourage green and sustainable lifestyles, such as:

- Separate chutes for recyclable waste
- Regenerative lifts to reduce energy consumption
- Bicycle stands to encourage cycling as an environmentally friendly form of transport
- Parking spaces to facilitate car-sharing schemes
- Use of sustainable and recycled products in the development
- ABC Waters design features to clean rainwater and beautify the landscapes



Smart Solutions

Punggol Point Crown will be installed with the following smart solutions to reduce energy usage, and contribute to a more sustainable and safer living environment:

- Smart-Enabled homes with provisions to support easy installation of smart system
- Smart Lighting in common areas to reduce energy usage
- Smart Pneumatic Waste Conveyance System to optimise the deployment of resources for cleaner and fuss-free waste disposal






Modern Homes

Choose from 2-room Flexi, 3-, 4-, and 5-room flats.

More than just a well-designed and functional interior, these flats also come with the following finishes and fittings:



Some 3-, 4-, and 5-room flats in Punggol Point Crown come with a balcony.

Optional Component Scheme

The Optional Component Scheme provides convenience for our buyers, and is offered on an opt-in basis. Please refer to the attached Optional Component Scheme leaflets for details.

When a flat buyer opts in for the OCS, the cost of the optional components will be added to the flat price.



WITHOUT LIVING/ DINING/ BEDROOM FLOOR FINISHES (DEFAULT)



WITH LIVING/ DINING/ BEDROOM FLOOR FINISHES



2-ROOM FLEXI (TYPE 1) FLOOR PLAN (With Suggested Furniture Layout) APPROX. FLOOR AREA 38 sqm (Inclusive of Internal Floor Area of 36 sqm and Air-Con Ledge)

2-ROOM FLEXI (TYPE 1) FLOOR PLAN (With Suggested Furniture Layout) APPROX. FLOOR AREA 38 sqm (Inclusive of Internal Floor Area of 36 sqm and Air-Con Ledge)



2-ROOM FLEXI (TYPE 2) FLOOR PLAN (With Suggested Furniture Layout) APPROX. FLOOR AREA 47 sqm (Inclusive of Internal Floor Area of 45 sqm and Air-Con Ledge)



3-ROOM FLOOR PLAN (With Suggested Furniture Layout) APPROX. FLOOR AREA 69 sqm (Inclusive of Internal Floor Area of 66 sqm and Air-Con Ledge)



3-ROOM FLOOR PLAN (With Suggested Furniture Layout) APPROX. FLOOR AREA 72 sqm (Inclusive of Internal Floor Area of 69 sqm and Air-Con Ledge)



4-ROOM FLOOR PLAN (With Suggested Furniture Layout) APPROX. FLOOR AREA 93 sqm (Inclusive of Internal Floor Area of 90 sqm and Air-Con Ledge)



4-ROOM FLOOR PLAN (With Suggested Furniture Layout) APPROX. FLOOR AREA 96 sqm (Inclusive of Internal Floor Area of 93 sqm and Air-Con Ledge)



5-ROOM FLOOR PLAN (With Suggested Furniture Layout) APPROX. FLOOR AREA 113 sqm (Inclusive of Internal Floor Area of 110 sqm and Air-Con Ledge)



5-ROOM FLOOR PLAN (With Suggested Furniture Layout) APPROX. FLOOR AREA 116 sqm (Inclusive of Internal Floor Area of 113 sqm and Air-Con Ledge)



Notes:

1. All proposed developments are subject to change and planning approval.

2. The proposed facilities and their locations as shown are indicative only. The proposed facilities may include other ancillary uses allowed under URA's prevailing Development Control guidelines. For example, places of worship and funeral parlours may also include columbarium as an ancillary use, while community centres may also include childcare centres, and schools may be upgraded or built with higher-rise blocks. The implementation of the facilities is subject to review from time to time by the relevant authorities.

3. The use of the void deck in any apartment block, common property (such as precinct pavilion), car park or stand-alone community building for future amenities/facilities (such as childcare centres, elderly-related facilities, education centres, residents' committee centres and day activity centres), commercial facilities (such as shops and eating houses), mechanical and electrical rooms and such other facilities is subject to review from time to time.

4. The residential blocks may be completed ahead of the proposed precinct facilities, so that flat buyers are able to collect the keys to their new homes earlier.


5. Unless otherwise indicated in the sales brochure, all facilities within the project, including but not limited to roof gardens and sky terraces (if any), will be open to the public.


	Electrical Sub-Station (ESS) at 1st storey
	Utilities Centre (UC) at 1st Storey
	Multi-Storey Car Park
	Open Space
	Staircase
	Drainage Reserve
	Driveway
\boxtimes	Centralised Refuse Chute / Chute for Recyclable Refuse (Pneumatic Waste Conveyance System)
	Corridor
\bowtie	Lift
\square	Service Bay
U/C	Under Construction


loom	5 Room	Total	Lift opens at
77	-	142	Every Storey
33	-	208	Every Storey
07	34	141	Every Storey
15	55	70	Every Storey
54	57	111	Every Storey
99	84	183	Every Storey
-	-	241	Every Storey
-	-	273	Every Storey
6	-	176	Every Storey
01	230	1545	

The information contained herein is subject to change at any time without notice and cannot form part of an offer or contract. While reasonable care has been taken in providing this information, HDB shall not be responsible in any way for any damage or loss suffered by any person whether directly or indirectly as a result of reliance on the said information or as a result of any error or omission therein.


PG S4 C11-12




















#24 #23 #22 #21 #20

#19 #18 ROOF GARDEN AT 19TH STOREY, ACCESSIBLE FROM 20TH STOREY

> BLOCK 438B 2 ROOM FLEXI (TYPE1) 2 ROOM FLEXI (TYPE2) 3 ROOM







WINDOW LEGEND: WI - FULL HEIGHT WINDOW (APPROX. 300mm HIGH PARAPET WALL) W2 - THREE QUARTER HEIGHT WINDOW (APPROX. 500mm HIGH PARAPET WALL)	UNLESS OTHERWISE INDICATED, ALL WINDOWS - WILL BE STANDARD HEIGHT WINDOW	SCALE 0 2 4 6 8 10 METERS	THE COLOURED FLOOR PLAN IS NOT INTENDED TO DEMARCATE THE BOUNDARY OF THE FLAT
---	---	---------------------------	--

	UNLESS OTHERWISE INDICATED, ALL WINDOWS WILL BE STANDARD HEIGHT WINDOW	SCALE 0 2 4 6 8 10 METERS	THE COLOURED FLOOR PLAN IS NOT INTENDED TO DEMARCATE THE BOUNDARY OF THE FLAT
--	---	---------------------------	--



WINDOW LEGEND: W1 - FULL HEIGHT WINDOW (APPROX. 300mm HIGH PARAPET WALL) W2 - THREE QUARTER HEIGHT WINDOW (APPROX. 500mm HIGH PARAPET WALL)	UNLESS OTHERWISE INDICATED, ALL WINDOWS - WILL BE STANDARD HEIGHT WINDOW	SCALE 0 2 4 6 8 10 METERS	THE COLOURED FLOOR PLAN IS NOT INTENDED TO DEMARCATE THE BOUNDARY OF THE FLAT
---	---	---------------------------	--

BLOCK 435A (13TH STOREY FLOOR PLAN)




WINDOW LEGEND: WI - FULL HEIGHT WINDOW (APPROX. 300mm HIGH PARAPET WALL) W2 - THREE QUARTER HEIGHT WINDOW (APPROX. 500mm HIGH PARAPET WALL)	UNLESS OTHERWISE INDICATED, ALL WINDOWS - WILL BE STANDARD HEIGHT WINDOW	SCALE 0 2 4 6 8 10 METERS	THE COLOURED FLOOR PLAN IS NOT INTENDED TO DEMARCATE THE BOUNDARY OF THE FLAT
---	---	---------------------------	--

BLOCK 435A (14TH STOREY FLOOR PLAN)



WINDOW LEGEND: W1 - FULL HEIGHT WINDOW (APPROX. 300mm HIGH PARAPET WALL) W2 - THREE QUARTER HEIGHT WINDOW (APPROX. 500mm HIGH PARAPET WALL)	UNLESS OTHERWISE INDICATED, ALL WINDOWS WILL BE STANDARD HEIGHT WINDOW	SCALE 0 2 4 6 8 10 METERS	THE COLOURED FLOOR PLAN IS NOT INTENDED TO DEMARCATE THE BOUNDARY OF THE FLAT
---	---	---------------------------	--

BLOCK 435A (15TH TO 23RD STOREY FLOOR PLAN)







WINDOW LEGEND: W1 - FULL HEIGHT WINDOW (APPROX. 300mm HIGH PARAPET WALL)	UNLESS OTHERWISE INDICATED, ALL WINDOWS WILL BE STANDARD HEIGHT WINDOW		THE COLOURED FLOOR PLAN IS NOT INTENDED TO DEMARCATE THE BOUNDARY OF THE FLAT
W2 - THREE QUARTER HEIGHT WINDOW (APPROX. 500mm HIGH PARAPET WALL)		SCALE 0 2 4 6 8 10 METERS	



WINDOW LEGEND: W1 - FULL HEIGHT WINDOW (APPROX. 300mm HIGH PARAPET WALL) W2 - THREE QUARTER HEIGHT WINDOW (APPROX. 500mm HIGH PARAPET WALL)	UNLESS OTHERWISE INDICATED, ALL WINDOWS WILL BE STANDARD HEIGHT WINDOW	SCALE 0 2 4 6 8 10 METERS	THE COLOURED FLOOR PLAN IS NOT INTENDED TO DEMARCATE THE BOUNDARY OF THE FLAT



WINDOW LEGEND:	UNLESS OTHERWISE INDICATED, ALL WINDOWS		THE COLOURED FLOOR PLAN IS NOT INTENDED TO
W1 - FULL HEIGHT WINDOW (APPROX. 300mm HIGH PARAPET WALL) W2 - THREE QUARTER HEIGHT WINDOW (APPROX. 500mm HIGH PARAPET WALL)	WILL BE STANDARD HEIGHT WINDOW	SCALE 0 2 4 6 8 10 METERS	DEMARCATE THE BOUNDARY OF THE FLAT



WINDOW LEGEND:	UNLESS OTHERWISE INDICATED, ALL WINDOWS WILL BE STANDARD HEIGHT WINDOW		THE COLOURED FLOOR PLAN IS NOT INTENDED TO
W1 - FULL HEIGHT WINDOW (APPROX. 300mm HIGH PARAPET WALL) W2 - THREE QUARTER HEIGHT WINDOW (APPROX. 500mm HIGH PARAPET WALL)		SCALE 0 2 4 6 8 10 WETERS	DEMARCATE THE BOUNDARY OF THE FLAT



WINDOW LEGEND: UNLESS OTHERWISE INDICATED, ALL WIL W1 - FULL HEIGHT WINDOW (APPROX. 300mm HIGH PARAPET WALL) WIL BE STANDARD HEIGHT WINDOW W2 - THREE QUARTER HEIGHT WINDOW (APPROX. 500mm HIGH PARAPET WALL) WIL BE STANDARD HEIGHT WINDOW	SCALE 0 2 4 6 8 10 METERS	THE COLOURED FLOOR PLAN IS NOT INTENDED TO DEMARCATE THE BOUNDARY OF THE FLAT
---	---------------------------	--



BLOCK 435B (13TH TO 20TH STOREY FLOOR PLAN) UNITS AT AND ABOVE 7TH STOREY ARE HIGHER THAN THE MAIN ROOF GARDEN LEVEL OF BLOCK 435

WINDOW LEGEND: UNLESS OTHERWISE INDICATED, AL W1 - FULL HEIGHT WINDOW (APPROX. 300mm HIGH PARAPET WALL) WILL BE STANDARD HEIGHT WINDOW W2 - THREE QUARTER HEIGHT WINDOW (APPROX. 500mm HIGH PARAPET WALL) WILL BE STANDARD HEIGHT WINDOW	SCALE 0 2 4 6 8 10 WEITERS	THE COLOURED FLOOR PLAN IS NOT INTENDED TO DEMARCATE THE BOUNDARY OF THE FLAT
--	----------------------------	--





WINDOW LEGEND: WI - FULL HEIGHT WINDOW (APPROX. 300mm HIGH PARAPET WALL) W2 - THREE QUARTER HEIGHT WINDOW (APPROX. 500mm HIGH PARAPET WALL)	UNLESS OTHERWISE INDICATED, ALL WINDOWS - WILL BE STANDARD HEIGHT WINDOW	SCALE 0 2 4 6 8 10 METERS	THE COLOURED FLOOR PLAN IS NOT INTENDED TO DEMARCATE THE BOUNDARY OF THE FLAT
---	---	---------------------------	--





WINDOW LEGEND: WI - FULL HEIGHT WINDOW (APPROX. 300mm HIGH PARAPET WALL) W2 - THREE QUARTER HEIGHT WINDOW (APPROX. 500mm HIGH PARAPET WALL)	UNLESS OTHERWISE INDICATED, ALL WINDOWS — WILL BE STANDARD HEIGHT WINDOW	SCALE 0 2 4 6 8 10 METERS	THE COLOURED FLOOR PLAN IS NOT INTENDED TO DEMARCATE THE BOUNDARY OF THE FLAT
---	---	---------------------------	--



BLOCK 435B (23RD TO 24TH STOREY FLOOR PLAN) UNITS AT AND ABOVE 7TH STOREY ARE HIGHER THAN THE MAIN ROOF GARDEN LEVEL OF BLOCK 435

WINDOW LEGEND: W1 - FULL HEIGHT WINDOW (APPROX. 300mm HIGH PARAPET WALL) W2 - THREE QUARTER HEIGHT WINDOW (APPROX. 500mm HIGH PARAPET WALL)	UNLESS OTHERWISE INDICATED, ALL WINDOWS WILL BE STANDARD HEIGHT WINDOW	SCALE 0 2 4 6 8 10 METERS	THE COLOURED FLOOR PLAN IS NOT INTENDED TO DEMARCATE THE BOUNDARY OF THE FLAT
---	---	---------------------------	--



WINDOW LEGEND: UNLESS OTHERWISE INDICATED, ALL WINDOWS W1 - FULL HEIGHT WINDOW (APPROX. 300mm HIGH PARAPET WALL) WILL BE STANDARD HEIGHT WINDOW W2 - THREE QUARTER HEIGHT WINDOW (APPROX. 500mm HIGH PARAPET WALL) WILL BE STANDARD HEIGHT WINDOW	SCALE 0 2 4 6 8 10 METERS THE COLOURED FLOOR PLAN IS NOT INTENDED TO DEMARCATE THE BOUNDARY OF THE FLAT
---	---



WINDOW LEGEND: WI - FULL HEIGHT WINDOW (APPROX. 300mm HIGH PARAPET WALL) W2 - THREE QUARTER HEIGHT WINDOW (APPROX. 500mm HIGH PARAPET WALL)	UNLESS OTHERWISE INDICATED, ALL WINDOWS WILL BE STANDARD HEIGHT WINDOW	SCALE 0 2 4 6 8 10 WEITERS	THE COLOURED FLOOR PLAN IS NOT INTENDED TO DEMARCATE THE BOUNDARY OF THE FLAT
---	---	----------------------------	--

BLOCK 436A



WINDOW LEGEND: WI - FULL HEIGHT WINDOW (APPROX. 300mm HIGH PARAPET WALL) W2 - THREE QUARTER HEIGHT WINDOW (APPROX. 500mm HIGH PARAPET WALL)	UNLESS OTHERWISE INDICATED, ALL WINDOWS — WILL BE STANDARD HEIGHT WINDOW	SCALE 0 2 4 6 8 10 METERS	THE COLOURED FLOOR PLAN IS NOT INTENDED TO DEMARCATE THE BOUNDARY OF THE FLAT
---	---	---------------------------	--

BLOCK 436A




WINDOW LEGEND: W1 - FULL HEIGHT WINDOW (APPROX. 300mm HIGH PARAPET WALL) W2 - THREE QUARTER HEIGHT WINDOW (APPROX. 500mm HIGH PARAPET WALL)	UNLESS OTHERWISE INDICATED, ALL WINDOWS - WILL BE STANDARD HEIGHT WINDOW	SCALE 0 2 4 6 8 10 WETERS	THE COLOURED FLOOR PLAN IS NOT INTENDED TO DEMARCATE THE BOUNDARY OF THE FLAT
---	---	---------------------------	--

BLOCK 436A




BLOCK 436A (11TH TO 18TH STOREY FLOOR PLAN) UNITS AT AND ABOVE 6TH STOREY ARE HIGHER THAN THE MAIN ROOF GARDEN LEVEL OF BLOCK 435

WINDOW LEGEND: W1 - FULL HEIGHT WINDOW (APPROX. 300mm HIGH PARAPET WALL) W2 - THREE QUARTER HEIGHT WINDOW (APPROX. 500mm HIGH PARAPET WALL)	UNLESS OTHERWISE INDICATED, ALL WINDOWS WILL BE STANDARD HEIGHT WINDOW	SCALE 0 2 4 6 8 10 METERS	THE COLOURED FLOOR PLAN IS NOT INTENDED TO DEMARCATE THE BOUNDARY OF THE FLAT
---	---	---------------------------	--



BLOCK 436A (19TH STOREY FLOOR PLAN) UNITS AT AND ABOVE 6TH STOREY ARE HIGHER THAN THE MAIN ROOF GARDEN LEVEL OF BLOCK 435

WINDOW LEGEND: WI - FULL HEIGHT WINDOW (APPROX. 300mm HIGH PARAPET WALL) W2 - THREE QUARTER HEIGHT WINDOW (APPROX. 500mm HIGH PARAPET WALL)	UNLESS OTHERWISE INDICATED, ALL WINDOWS - WILL BE STANDARD HEIGHT WINDOW	SCALE 0 2 4 6 8 10 METERS	THE COLOURED FLOOR PLAN IS NOT INTENDED TO DEMARCATE THE BOUNDARY OF THE FLAT
---	---	---------------------------	--



BLOCK 436A (20TH STOREY FLOOR PLAN) UNITS AT AND ABOVE 6TH STOREY ARE HIGHER THAN THE MAIN ROOF GARDEN LEVEL OF BLOCK 435

	UNLESS OTHERWISE INDICATED, ALL WINDOWS WILL BE STANDARD HEIGHT WINDOW	SCALE 0 2 4 6 8 10 METERS	THE COLOURED FLOOR PLAN IS NOT INTENDED TO DEMARCATE THE BOUNDARY OF THE FLAT
--	---	---------------------------	--



BLOCK 436A (21ST STOREY FLOOR PLAN) UNITS AT AND ABOVE 6TH STOREY ARE HIGHER THAN THE MAIN ROOF GARDEN LEVEL OF BLOCK 435

WINDOW LEGEND: UNLESS OTHERWSE INDICATED, ALL WINDOWS W1 - FULL HEIGHT WINDOW (APPROX. 300mm HIGH PARAPET WALL) WILL BE STANDARD HEIGHT WINDOW W2 - THREE QUARTER HEIGHT WINDOW (APPROX. 500mm HIGH PARAPET WALL) WILL SS OTHERWSE INDICATED, ALL WINDOWS	SCALE 0 2 4 6 8 10 METERS	THE COLOURED FLOOR PLAN IS NOT INTENDED TO DEMARCATE THE BOUNDARY OF THE FLAT
---	---------------------------	--



WINDOW LEGEND: W1 - FULL HEIGHT WINDOW (APPROX. 300mm HIGH PARAPET WALL) W2 - THREE QUARTER HEIGHT WINDOW (APPROX. 500mm HIGH PARAPET WALL)	UNLESS OTHERWISE INDICATED, ALL WINDOWS WILL BE STANDARD HEIGHT WINDOW	SCALE 0 2 4 6 8 10 METERS	THE COLOURED FLOOR PLAN IS NOT INTENDED TO DEMARCATE THE BOUNDARY OF THE FLAT
---	---	---------------------------	--



WINDOW LEGEND: W1 - FULL HEIGHT WINDOW (APPROX. 300mm HIGH PARAPET WALL) W2 - THREE QUARTER HEIGHT WINDOW (APPROX. 500mm HIGH PARAPET WALL)	UNLESS OTHERWISE INDICATED, ALL WINDOWS WILL BE STANDARD HEIGHT WINDOW	SCALE 0 2 4 6 8 10 METERS	THE COLOURED FLOOR PLAN IS NOT INTENDED TO DEMARCATE THE BOUNDARY OF THE FLAT
---	---	---------------------------	--





WINDOW LEGEND: W1 - FULL HEIGHT WINDOW (APPROX. 300mm HIGH PARAPET WALL) W2 - THREE QUARTER HEIGHT WINDOW (APPROX. 500mm HIGH PARAPET WALL)	UNLESS OTHERWISE INDICATED, ALL WINDOWS - WILL BE STANDARD HEIGHT WINDOW	SCALE 0 2 4 6 8 10 WEIERS	THE COLOURED FLOOR PLAN IS NOT INTENDED TO DEMARCATE THE BOUNDARY OF THE FLAT
---	---	---------------------------	--





WINDOW LECEND: W1 - FULL HEIGHT WINDOW (APPROX. 300mm HIGH PARAPET WALL) W2 - THREE QUARTER HEIGHT WINDOW (APPROX. 500mm HIGH PARAPET WALL)	UNLESS OTHERWISE INDICATED, ALL WINDOWS WILL BE STANDARD HEIGHT WINDOW	SCALE 0 2 4 6 8 10 METERS	THE COLOURED FLOOR PLAN IS NOT INTENDED TO DEMARCATE THE BOUNDARY OF THE FLAT
---	---	---------------------------	--





WINDOW LEGEND: W1 - FULL HEIGHT WINDOW (APPROX. 300mm HIGH PARAPET WALL) W2 - THREE QUARTER HEIGHT WINDOW (APPROX. 500mm HIGH PARAPET WALL)	UNLESS OTHERWISE INDICATED, ALL WINDOWS WILL BE STANDARD HEIGHT WINDOW	SCALE 0 2 4 6 8 10 METERS	THE COLOURED FLOOR PLAN IS NOT INTENDED TO DEMARCATE THE BOUNDARY OF THE FLAT
---	---	---------------------------	--



WINDOW LEGEND: W1 - FULL HEIGHT WINDOW (APPROX. 300mm HIGH PARAPET WALL) W2 - THREE QUARTER HEIGHT WINDOW (APPROX. 500mm HIGH PARAPET WALL)	UNLESS OTHERWISE INDICATED, ALL WINDOWS WILL BE STANDARD HEIGHT WINDOW	SCALE 0 2 4 6 8 10 METERS	THE COLOURED FLOOR PLAN IS NOT INTENDED TO DEMARCATE THE BOUNDARY OF THE FLAT
---	---	---------------------------	--



WINDOW LEGEND: W1 - FULL HEIGHT WINDOW (APPROX. 300mm HIGH PARAPET WALL) W2 - THREE QUARTER HEIGHT WINDOW (APPROX. 500mm HIGH PARAPET WALL)	UNLESS OTHERWISE INDICATED, ALL WINDOWS WILL BE STANDARD HEIGHT WINDOW	SCALE 0 2 4 6 8 10 WEITERS	THE COLOURED FLOOR PLAN IS NOT INTENDED TO DEMARCATE THE BOUNDARY OF THE FLAT
---	---	----------------------------	--




WINDOW LEGEND: W1 - FULL HEIGHT WINDOW (APPROX. 300mm HIGH PARAPET WALL) W2 - THREE QUARTER HEIGHT WINDOW (APPROX. 500mm HIGH PARAPET WALL)	UNLESS OTHERWISE INDICATED, ALL WINDOWS WILL BE STANDARD HEIGHT WINDOW	SCALE 0 2 4 6 8 10 METERS	THE COLOURED FLOOR PLAN IS NOT INTENDED TO DEMARCATE THE BOUNDARY OF THE FLAT



UNITS AT AND ABOVE 7TH STOREY ARE HIGHER THAN THE MAIN ROOF GARDEN LEVEL OF BLOCK 435

WINDOW LEGEND: WI - FULL HEIGHT WINDOW (APPROX. 300mm HIGH PARAPET WALL) W2 - THREE QUARTER HEIGHT WINDOW (APPROX. 500mm HIGH PARAPET WALL)	UNLESS OTHERWISE INDICATED, ALL WINDOWS - WILL BE STANDARD HEIGHT WINDOW	SCALE 0 2 4 6 8 10 WEITERS	THE COLOURED FLOOR PLAN IS NOT INTENDED TO DEMARCATE THE BOUNDARY OF THE FLAT
---	---	----------------------------	--



UNITS AT AND ABOVE 7TH STOREY ARE HIGHER THAN THE MAIN ROOF GARDEN LEVEL OF BLOCK	435
---	-----


WINDOW LEGEND: WI - FULL HEIGHT WINDOW (APPROX. 300mm HIGH PARAPET WALL) W2 - THREE QUARTER HEIGHT WINDOW (APPROX. 500mm HIGH PARAPET WALL)	UNLESS OTHERWISE INDICATED, ALL WINDOWS - WILL BE STANDARD HEIGHT WINDOW	SCALE 0 2 4 6 8 10 METERS	THE COLOURED FLOOR PLAN IS NOT INTENDED TO DEMARCATE THE BOUNDARY OF THE FLAT
---	---	---------------------------	--



WINDOW LEGEND: W1 - FULL HEIGHT WINDOW (APPROX. 300mm HIGH PARAPET WALL) W2 - THREE QUARTER HEIGHT WINDOW (APPROX. 500mm HIGH PARAPET WALL)	UNLESS OTHERWISE INDICATED, ALL WINDOWS - WILL BE STANDARD HEIGHT WINDOW	SCALE 0 2 4 6 8 10 WEITERS	THE COLOURED FLOOR PLAN IS NOT INTENDED TO DEMARCATE THE BOUNDARY OF THE FLAT
---	---	----------------------------	--



WINDOW LEGEND: WI - FULL HEIGHT WINDOW (APPROX. 300mm HIGH PARAPET WALL) W2 - THREE QUARTER HEIGHT WINDOW (APPROX. 500mm HIGH PARAPET WALL)	UNLESS OTHERWISE INDICATED, ALL WINDOWS - WILL BE STANDARD HEIGHT WINDOW	SCALE 0 2 4 6 8 10 METERS	THE COLOURED FLOOR PLAN IS NOT INTENDED TO DEMARCATE THE BOUNDARY OF THE FLAT
---	---	---------------------------	--



WINDOW LEGEND: W1 - FULL HEIGHT WINDOW (APPROX. 300mm HIGH PARAPET WALL) W2 - THREE QUARTER HEIGHT WINDOW (APPROX. 500mm HIGH PARAPET WALL)	UNLESS OTHERWISE INDICATED, ALL WINDOWS WILL BE STANDARD HEIGHT WINDOW	SCALE 0 2 4 6 8 10 METERS	THE COLOURED FLOOR PLAN IS NOT INTENDED TO DEMARCATE THE BOUNDARY OF THE FLAT

BLOCK 437B



WINDOW LEGEND: W1 - FULL HEIGHT WINDOW (APPROX. 300mm HIGH PARAPET WALL) W2 - THREE QUARTER HEIGHT WINDOW (APPROX. 500mm HIGH PARAPET WALL)	UNLESS OTHERWISE INDICATED, ALL WINDOWS - WILL BE STANDARD HEIGHT WINDOW	SCALE 0 2 4 6 8 10 WEIERS	THE COLOURED FLOOR PLAN IS NOT INTENDED TO DEMARCATE THE BOUNDARY OF THE FLAT
---	---	---------------------------	--

BLOCK 437B



BLOCK 437B (25TH TO 26TH STOREY FLOOR PLAN)

WINDOW LEGEND:	UNLESS OTHERWISE INDICATED, ALL WINDOWS WILL BE STANDARD HEIGHT WINDOW		THE COLOURED FLOOR PLAN IS NOT INTENDED TO
W1 - FULL HEIGHT WINDOW (APPROX. 300mm HIGH PARAPET WALL)		SCALE 0 2 4 6 8 10 METERS	DEMARCATE THE BOUNDARY OF THE FLAT
W2 - THREE QUARTER HEIGHT WINDOW (APPROX. 500mm HIGH PARAPET WALL)			



BLOCK 438A (2ND TO 4TH, 6TH TO 18TH STOREY FLOOR PLAN)

		UNLESS OTHERWISE INDICATED, ALL WINDOWS WILL BE STANDARD HEIGHT WINDOW	SCALE 0 2 4 6 8 10 METERS	THE COLOURED FLOOR PLAN IS NOT INTENDED TO DEMARCATE THE BOUNDARY OF THE FLAT
--	--	---	---------------------------	--



BLOCK 438A (5TH STOREY FLOOR PLAN)

WINDOW LEGEND: W1 - FULL HEIGHT WINDOW (APPROX. 300mm HIGH PARAPET WALL) W2 - THREE QUARTER HEIGHT WINDOW (APPROX. 500mm HIGH PARAPET WALL)	UNLESS OTHERWISE INDICATED, ALL WINDOWS WILL BE STANDARD HEIGHT WINDOW	SCALE 0 2 4 6 8 10 METERS	THE COLOURED FLOOR PLAN IS NOT INTENDED TO DEMARCATE THE BOUNDARY OF THE FLAT



BLOCK 438A (19TH STOREY FLOOR PLAN)

WINDOW LEGEND:	UNLESS OTHERWISE INDICATED, ALL WINDOWS WILL BE STANDARD HEIGHT WINDOW		THE COLOURED FLOOR PLAN IS NOT INTENDED TO
W1 - FULL HEIGHT WINDOW (APPROX. 300mm HIGH PARAPET WALL)		SCALE 0 2 4 6 8 10 METERS	DEMARCATE THE BOUNDARY OF THE FLAT
W2 - THREE QUARTER HEIGHT WINDOW (APPROX. 500mm HIGH PARAPET WALL)			



BLOCK 438A (20TH STOREY FLOOR PLAN)

WINDOW LEGEND: W1 - FULL HEIGHT WINDOW (APPROX. 300mm HIGH PARAPET WALL) W2 - THREE QUARTER HEIGHT WINDOW (APPROX. 500mm HIGH PARAPET WALL)	UNLESS OTHERWISE INDICATED, ALL WINDOWS - WILL BE STANDARD HEIGHT WINDOW	SCALE 0 2 4 6 8 10 meters	THE COLOURED FLOOR PLAN IS NOT INTENDED TO DEMARCATE THE BOUNDARY OF THE FLAT
---	---	---------------------------	--



BLOCK 438A (21ST TO 24TH STOREY FLOOR PLAN)

WINDOW LEGEND: WI - FULL HEIGHT WINDOW (APPROX. 300mm HIGH PARAPET WALL) W2 - THREE QUARTER HEIGHT WINDOW (APPROX. 500mm HIGH PARAPET WALL)	UNLESS OTHERWISE INDICATED, ALL WINDOWS - WILL BE STANDARD HEIGHT WINDOW	SCALE 0 2 4 6 8 10 METERS	THE COLOURED FLOOR PLAN IS NOT INTENDED TO DEMARCATE THE BOUNDARY OF THE FLAT
---	---	---------------------------	--



AND LIVING ROOM, WILL DIFFER DEPENDING ON THE SELECTION OF THE OPTIONAL COMPONENT SCHEME (OCS), WHERE APPLICABLE

WINDOW LEGEND:	UNLESS OTHERWISE INDICATED, ALL WINDOWS	THE COLOURED FLOOR PLAN IS NOT INTENDED TO
WI - FULL HEIGHT WINDOW (APPROX. 300mm HIGH PARAPET WALL) W2 - THREE QUARTER HEIGHT WINDOW (APPROX. 500mm HIGH PARAPET WALL)	WILL BE STANDARD HEIGHT WINDOW	DEMARCATE THE BOUNDARY OF THE FLAT



AND LIVING ROOM, WILL DIFFER DEPENDING ON THE SELECTION OF THE OPTIONAL COMPONENT SCHEME (OCS), WHERE APPLICABLE


WINDOW LEGEND:	UNLESS OTHERWISE INDICATED, ALL WINDOWS WILL BE STANDARD HEIGHT WINDOW		THE COLOURED FLOOR PLAN IS NOT INTENDED TO
W1 - FULL HEIGHT WINDOW (APPROX. 300mm HIGH PARAPET WALL)	WILL DE STANDARD HEIGHT WINDOW		DEMARCATE THE BOUNDARY OF THE FLAT
W2 - THREE QUARTER HEIGHT WINDOW (APPROX. 500mm HIGH PARAPET WALL)		SCALE 0 2 4 6 8 10 METERS	



WINDOW LEGEND: W1 - FULL HEIGHT WINDOW (APPROX. 300mm HIGH PARAPET WALL) W2 - THREE QUARTER HEIGHT WINDOW (APPROX. 500mm HIGH PARAPET WALL)	UNLESS OTHERWISE INDICATED, ALL WINDOWS WILL BE STANDARD HEIGHT WINDOW	SCALE 0 2 4 6 8 10 METERS	THE COLOURED FLOOR PLAN IS NOT INTENDED TO DEMARCATE THE BOUNDARY OF THE FLAT



WINDOW LEGEND: W1 — FULL HEIGHT WINDOW (APPROX. 300mm HIGH PARAPET WALL) W2 — THREE QUARTER HEIGHT WINDOW (APPROX. 500mm HIGH PARAPET WALL)	UNLESS OTHERWISE INDICATED, ALL WINDOWS WILL BE STANDARD HEIGHT WINDOW	SCALE 0 2 4 6 8 10 WEITERS	THE COLOURED FLOOR PLAN IS NOT INTENDED TO DEMARCATE THE BOUNDARY OF THE FLAT
---	---	----------------------------	--



WINDOW LEGEND: W1 - FULL HEIGHT WINDOW (APPROX. 300mm HIGH PARAPET WALL) W2 - THREE QUARTER HEIGHT WINDOW (APPROX. 500mm HIGH PARAPET WALL)	UNLESS OTHERWISE INDICATED, ALL WINDOWS WILL BE STANDARD HEIGHT WINDOW	SCALE 0 2 4 6 8 10 METERS	THE COLOURED FLOOR PLAN IS NOT INTENDED TO DEMARCATE THE BOUNDARY OF THE FLAT



BLOCK 438C (2ND TO 4TH, 6TH TO 12TH STOREY FLOOR PLAN)


WINDOW LEGEND:	UNLESS OTHERWISE INDICATED, ALL WINDOWS WILL BE STANDARD HEIGHT WINDOW		THE COLOURED FLOOR PLAN IS NOT INTENDED TO
W1 - FULL HEIGHT WINDOW (APPROX. 300mm HIGH PARAPET WALL)	WILL DE STANDARD HEIGHT WINDOW	SCALE 0 2 4 6 8 10 METERS	DEMARCATE THE BOUNDARY OF THE FLAT
W2 - THREE QUARTER HEIGHT WINDOW (APPROX. 500mm HIGH PARAPET WALL)		SCALL 0 2 4 6 8 10 METERS	



BLOCK 438C (5TH STOREY FLOOR PLAN)

WINDOW LEGEND: UNLESS OTHERWISE INDICATED, ALL WINDOWS W1 - FULL HEIGHT WINDOW (APPROX. 300mm HIGH PARAPET WALL) WIL BE STANDARD HEIGHT WINDOW W2 - THREE QUARTER HEIGHT WINDOW (APPROX. 500mm HIGH PARAPET WALL) WIL BE STANDARD HEIGHT WINDOW	SCALE 0 2 4 6 8 10 METERS	THE COLOURED FLOOR PLAN IS NOT INTENDED TO DEMARCATE THE BOUNDARY OF THE FLAT
---	---------------------------	--

WINDOW LEGEND: UNLESS OTHERWISE INDICATED, ALL WINDOWS W1 - FULL HEIGHT WINDOW (APPROX. 300mm HIGH PARAPET WALL) WILLESS OTHERWISE INDICATED, ALL WINDOWS W2 - THREE QUARTER HEIGHT WINDOW (APPROX. 500mm HIGH PARAPET WALL) WILLESS OTHERWISE INDICATED, ALL WINDOWS	THE COLOURED FLOOR PLAN IS NOT INTENDED TO DEMARCATE THE BOUNDARY OF THE FLAT



WINDOW LEGEND: W1 - FULL HEIGHT WINDOW (APPROX. 300mm HIGH PARAPET WALL) W2 - THREE QUARTER HEIGHT WINDOW (APPROX. 500mm HIGH PARAPET WALL)	UNLESS OTHERWISE INDICATED, ALL WINDOWS — WILL BE STANDARD HEIGHT WINDOW	SCALE 0 2 4 6 8 10 METERS	THE COLOURED FLOOR PLAN IS NOT INTENDED TO DEMARCATE THE BOUNDARY OF THE FLAT
			L





BLOCK 438C (15TH TO 23RD STOREY FLOOR PLAN)

WINDOW LEGEND: W1 - FULL HEIGHT WINDOW (APPROX. 300mm HIGH PARAPET WALL) W2 - THREE QUARTER HEIGHT WINDOW (APPROX. 500mm HIGH PARAPET WALL)	UNLESS OTHERWISE INDICATED, ALL WINDOWS - WILL BE STANDARD HEIGHT WINDOW	SCALE 0 2 4 6 8 10 meters	THE COLOURED FLOOR PLAN IS NOT INTENDED TO DEMARCATE THE BOUNDARY OF THE FLAT
---	---	---------------------------	--

General Specifications For Punggol Point Crown

For 2-room Flexi (short lease)

Foundation

Piled foundations.

Structure

Reinforced concrete structural framework with reinforced concrete slabs.

Roof

Reinforced concrete roof slab with precast concrete secondary roofing.

Walls

All external and internal walls are constructed with reinforced concrete/ precast panels/ drywall partition system/ precast lightweight concrete partitions.

Windows

Aluminium framed windows with tinted glass.

Doors

DUUIS	
Entrance	: laminated timber door and metal gate
Bedroom	: laminated UPVC sliding partition/ door, where applicable
Bathroom/ WC	: laminated UPVC folding door
Household Shelter	: metal door

Finishes

Living/ Dining/ Bedroom Floor	: vinyl strip flooring with laminated UPVC skirting (optional)
Kitchen/ Bathroom/ WC/	: glazed porcelain tiles
Household Shelter Floor Kitchen/ Bathroom/ WC Walls Ceilings/ Other Walls	: glazed porcelain tiles : skim coated or plastered and painted

Fittings

Quality Locksets Water Closet Suite Clothes Drying Rack Grab Bars Wash basin with tap mixer, bath/ shower mixer with shower set (optional) Built-in kitchen cabinets with induction hob and cooker hood, kitchen sink and dish drying rack (optional) Built-in Wardrobe (optional) Window Grilles (optional) Water Heater (optional) Lighting (optional)

Services

Gas services and concealed water supply pipes Exposed sanitary stacks at Air-con ledge Concealed electrical wiring to lighting and power points (including water heater and air-conditioning points) Television points Data points

Important Notes

- 1) The Household Shelter is designed for use as civil defence shelter. The walls, ceiling, floor and door of the Household Shelter shall not be hacked, drilled, altered or removed.
- 2) Laminated UPVC door frame shall be provided to all Bedroom and Bathroom/ WC door openings.
- 3) Any unused or unoccupied open spaces in front of or nearby/ adjacent to the flat units are not available for purchase and the HDB will not entertain any request from the flat owners to purchase and/ or enclose the unused or unoccupied open spaces.
- 4) The details of services in a flat, e.g. gas pipes, water pipes, sanitary stacks, electrical wiring, television points, data points, etc. are not indicated on the plans.

You are advised to visit HDB's website at www.hdb.gov.sg for information on renovation rules.

General Specifications For Punggol Point Crown

For 2-room Flexi, 3-room, 4-room & 5-room

Foundation

Piled foundations.

Structure

Reinforced concrete structural framework with reinforced concrete slabs.

Roof

Reinforced concrete roof slab with precast concrete secondary roofing.

Walls

All external and internal walls are constructed with reinforced concrete/ precast panels/ drywall partition system/ precast lightweight concrete partitions.

Windows

Aluminium framed windows with tinted glass.

Doors

DUUIS	
Entrance	: laminated timber door and metal gate
Bedroom	: laminated UPVC door (optional)
	: laminated UPVC sliding partition/ door for 2-room Flexi, where applicable
Bathroom/ WC	: laminated UPVC folding door (optional)
	: laminated UPVC folding door for 2-room Flexi
Household Shelter	: metal door
Service Yard	: aluminium framed door with glass
Balcony (where applicable)	: aluminium framed door with glass
Einichee	

: polished porcelain tiles with laminated UPVC skirting (optional)
: vinyl strip flooring with laminated UPVC skirting (optional)
: vinyl strip flooring with laminated UPVC skirting for 2-room Flexi (optional)
: glazed porcelain tiles
: glazed porcelain tiles with tile skirting
: glazed porcelain tiles
: glazed porcelain tiles with tile skirting (optional)
: skim coated or plastered and painted

Fittings

Quality Locksets Water Closet Suite Clothes Drying Rack Wash basin with tap mixer, bath/ shower mixer with shower set (optional)

Services

Gas services and concealed water supply pipes Exposed sanitary stacks (which can be located at Service Yard and/ or Air-con ledge) Concealed electrical wiring to lighting and power points (including water heater and air-conditioning points) Television points Data points

Important Notes

- 1) The Household Shelter is designed for use as civil defence shelter. The walls, ceiling, floor and door of the Household Shelter shall not be hacked, drilled, altered or removed.
- 2) Laminated UPVC door frame shall be provided to all Bedroom and Bathroom/ WC door openings.
- 3) Any unused or unoccupied open spaces in front of or nearby/ adjacent to the flat units are not available for purchase and the HDB will not entertain any request from the flat owners to purchase and/ or enclose the unused or unoccupied open spaces.
- 4) The details of services in a flat, e.g. gas pipes, water pipes, sanitary stacks, electrical wiring, television points, data points, etc. are not indicated on the plans.

You are advised to visit HDB's website at www.hdb.gov.sg for information on renovation rules.

Disclaimer

- 1) HDB owns the copyright in all information, maps, and plans of this brochure.
- 2) The content provided in this brochure is not intended to form part of any offer or contract for the sale of the flats. They are provided for your general information only, and are not statements or representations of fact.
- 3) Visual representations, such as pictures, art renderings, depictions, illustrations, photographs, drawings, as well as other graphic representations and references, are only artistic impressions. They are provided for your general information only, and are not representations of fact.
- 4) The information on this project, including but not limited to the dimensions, areas, plans, colour schemes, descriptions, and specifications, are subject to change or review without notice at our sole discretion or if required by the relevant authorities.
- 5) We may at any time, without any notice and at our sole discretion, change any aspect of this project, including but not limited to the omission, amalgamation, increase, or reduction of amenities and facilities, colour schemes, design features, and specifications.
- 6) We will not entertain any request for alteration of the layout or specifications of a flat to suit individual needs.
- 7) While reasonable care has been taken in providing the information in this brochure, we do not warrant its accuracy. We shall not be responsible in any way for any damage or loss suffered by any person whether directly or indirectly as a result of reliance on the said information or as a result of any error or omission therein.
- 8) The floor areas shown are scaled strata areas and subject to final survey.
- 9) The surrounding land use, proposed facilities and their locations as shown in the maps and plans are indicative only and subject to change. They may include ancillary uses allowed under the Urban Redevelopment Authority's prevailing Development Control guidelines.
- 10) We reserve the right to use or allow the use of:
 - the void deck in any Apartment block,
 - Car park;
 - Common property (such as precinct pavilion); or
 - · Standalone community building,

for:

- Future amenities/ facilities (such as child care centres, elderly-related facilities, education centres, residents' committee centres, and day activity centres);
- · Commercial facilities (such as shops and eating houses);
- Mechanical and electrical rooms; and
- Such other facilities as we deem fit.
- 11) This brochure does not and is not intended to provide full and complete information of the guidelines or requirements of the relevant authorities. You are advised to approach the relevant authorities directly for full information and details of these guidelines and requirements.



Copyright © Housing & Development Board All rights reserved. October 2019

OPTIONAL COMPONENT SCHEME (2-ROOM FLEXI FLATS)

The Optional Component Scheme (OCS) provides convenience for flat buyers, and is offered on an opt-in basis. Choose the OCS items you want before your flat selection appointment. The cost of the OCS items will be added to the selling price of the selected flat.

The 2-room Flexi flats come in 2 sizes: 36sqm and 45sqm, and are available either on a 99-year lease or short-lease.

All 2-room Flexi flats come with:

- floor finishes in the kitchen, household shelter and bathroom
- wall tiles in bathroom and kitchen
- sliding partition/ door for bedroom; folding bathroom door
- water closet suite in the bathroom

FOR ALL 2-ROOM FLEXI FLATS

PACKAGE

- Flooring in the living/ dining room and bedroom
- 3-panel sliding partition, separating the living room and bedroom (for 36sgm 2-room Flexi flat only)

PACKAGE **2**

 Sanitary fittings, i.e. washbasin with tap mixer and shower set with bath/ shower mixer

Note:

Those who opted out of Package 1 will be provided with a 2-panel sliding partition and short wall separating living room and bedroom.



3-panel sliding partition



2-panel sliding partition





Grab bars will be installed for all short-lease flats to assist elderly buyers in moving around the flats

OPTIONAL COMPONENT SCHEME (2-ROOM FLEXI FLATS)

FOR SHORT-LEASE 2-ROOM FLEXI FLATS ONLY

PACKAGE 3 offers elderly buyers the convenience of having a flat in move-in condition. It comprises:

ELDERLY-FRIENDLY FITTINGS



 Built-in kitchen cabinets with induction hob and cooker hood, kitchen sink, tap and dish drying rack.



- Here are some features of an induction hob: • It does not produce an open flame
- Its cooking zone cools down faster
- It is easier to clean than a gas hob
- · As it has a flat surface, pots placed on an induction hob are less likely to topple over.

With these features, the use of the induction hob would promote a safer and cleaner environment.

- Kitchen cabinets come with mobile cabinets to provide knee space (especially for wheelchair users)
- Built-in bedroom wardrobe with a lower clothes hanging rod for easy reach

Option A (Default): Option B: Bottom Cabinet at 850mm height Bottom Cabinet at 800mm height (from floor level) (from floor level) • Top Cabinet at **1,500mm** height Top Cabinet at 1,200mm height (from floor level) (from floor level) These cabinets come These cabinets are in default dimensions lowered to suit the needs of wheelchair based on industry standards. bound residents. ,500mm ,200mm

Note: This drawing is not drawn to scale. All dimensions are approximate only.

An option to have a lower counter top height

OTHER FITTINGS



safety and security

 Window grilles for Mirror



Toilet roll holder





Water heater

Buyers who opt for Package 3 must select Package 1.

Disclaimer: All displays and images shown here are strictly for reference only and are subject to change without notice. The displays and images shown here are conceptual and indicative only and the colour schemes, design, dimensions, type, tonal differences and specifications may differ from the actual fittings installed in the flat.



September 2019

OPTIONAL COMPONENT SCHEME (3-, 4-, 5-ROOM, AND 3GEN FLATS)

The Optional Component Scheme (OCS) provides convenience for flat buyers, and is offered on an opt-in basis. Choose the OCS items you want before your flat selection appointment. The cost of the OCS items will be added to the selling price of the selected flat.

The 3-, 4-, 5-room, and 3Gen flats come with:

- floor finishes in the kitchen, household shelter, service yard and bathrooms
- wall tiles in the bathrooms and kitchen
- water closet suite in each bathroom

YOU CAN CHOOSE TO HAVE THE FOLLOWING ITEMS INSTALLED IN YOUR SELECTED FLAT:

- Floor finishes for living/ dining room and bedrooms
- Internal doors + sanitary fittings
 - wash basin with tap mixer
 - shower set with bath/ shower mixer



Wash basin with tap mixer in attached bathroom



Wash basin with tap mixer



Handheld shower set with bath/ shower mixer

Disclaimer: All displays and images shown here are strictly for reference only and are subject to change without notice. The displays and images shown here are conceptual and indicative only and the colour schemes, design, dimensions, type, tonal differences and specifications may differ from the actual fittings installed in the flat.

