





McNair Heights

McNair Heights is bounded by Balestier Road and McNair Road. It comprises 3 residential blocks ranging from 24 to 40 storeys in height, and 1 of these blocks will house some rental flats. You can choose from 626 units of 2-room Flexi, 3-, and 4-room flats. The 2-room Flexi flats in the development are offered to seniors (aged 55 and above), on short leases between 15 and 45 years (in 5-year increments).

Outdoor facilities like children playgrounds, adult and elderly fitness stations, will be provided at McNair Heights. The development's Multi-Storey Car Park comes with a childcare centre at the first storey and a rooftop garden above.



All residential blocks are linked to this rooftop garden via skybridges on the 8th storey. Please refer to the site plan for the facilities provided in the development. Facilities in this development will be accessible by the public.


IMPORTANT NOTES

HDB precincts are planned to serve the evolving needs of the community. There are spaces catered for future inclusion of amenities/ facilities (such as childcare centres, elderly-related facilities, education centres, residents' committee centres, and day activity centres), commercial facilities (such as shops and eating houses), mechanical and electrical rooms, and such other facilities depending on the prevailing needs. These spaces could be in the void decks, common property, car parks, or stand-alone community buildings.

To facilitate your flat application, we have provided information on the surrounding land use, proposed facilities, and their locations in the maps and plans in this brochure. As the information provided is based on the current planning intent of the relevant authorities, such information is indicative only and are subject to review from time to time.



KALLANG/WHAMPOA



Notes:

- 1. All proposed developments and facilities as well as their locations shown are indicative only and are subject to change andplanning approval. The implementation of such proposed developments and facilities is subject to review from time to time by the relevant authorities.
- 2. The developments and facilities shown (whether existing or proposed) may include other ancillary uses allowed under URA's prevailing Development Control guidelines. For example, places of worship and funeral parlours may include columbarium, community centres may include childcare centres, and schools may be upgraded or built with higher-rise blocks.
- 3. In view of the COVID-19 situation, temporary COVID-19 related facilities may be set up near residential areas by the relevant authorities.

The information contained herein is subject to change at any time without notice and cannot form part of an offer or contract. While reasonable care has been taken in providing this information, HDB shall not be responsible in any way for any damage or loss suffered by any person whether directly or indirectly as a result of reliance on the said information or as a result of any error or omission therein.

ECO-FRIENDLY FEATURES

To encourage a 'green' lifestyle, McNair Heights will have several eco-friendly features:

- Separate chutes for recyclable waste
- Regenerative lifts to reduce energy consumption
- Bicycle stands to encourage cycling as an environmentally-friendly form of transport
- Parking spaces to facilitate car-sharing schemes
- Use of sustainable products in the development
- Active, Beautiful, Clean Waters design features to clean rainwater and beautify the landscapes









BICYCLE STANDS

ABC WATERS DESIGN FEATURES

SEPARATE CHUTES FOR RECYCABLE WASTE

WASTE

SMART SOLUTIONS

The common areas within McNair Heights will be installed with Smart Lighting to reduce energy usage, and contribute to a sustainable and safer living environment.





FINISHES AND FITTINGS

More than just a well-designed and functional interior, these flats will come with the following finishes and fittings:

2-ROOM FLEXI

Available on short-lease

- · Floor tiles in the:
- bathroom
- · household shelter
- kitchen
- · Wall tiles in the:
 - bathroom
 - kitchen
- A sliding partition/ door for the bedroom and folding bathroom door
- Grab bars

3- AND 4-ROOM

- · Floor tiles in the:
 - bathrooms
- household shelter
- kitchen/ utility (3-room)
- kitchen and service yard (4-room)
- · Wall tiles in the:
 - bathrooms
 - kitchen/ utility (3-room)
 - kitchen (4-room)

OPTIONAL COMPONENT SCHEME

The Optional Component Scheme (OCS) is an opt-in scheme that provides convenience for our buyers. If you opt-in for OCS, the cost of the optional components will be added to the price of the flat. Please refer to the attached OCS leaflet for details.

LAYOUT IDEAS

WITHOUT LIVING/DINING/BEDROOM FLOOR FINISHES (DEFAULT)

2-ROOM FLEXI (TYPE 1) FLOOR PLAN

(With Suggested Furniture Layout)

Approx. Floor Area 38sqm

Inclusive of Internal Floor Area of 36sgm and Air-Con Ledge



WITH LIVING/DINING/BEDROOM **FLOOR FINISHES**

2-ROOM FLEXI (TYPE 1) FLOOR PLAN

(With Suggested Furniture Layout)

Approx. Floor Area 38sqm

Inclusive of Internal Floor Area of 36sqm and Air-con Ledge



WITHOUT LIVING/DINING/BEDROOM FLOOR FINISHES (DEFAULT)

2-ROOM FLEXI (TYPE 2) FLOOR PLAN

(With Suggested Furniture Layout)

Approx. Floor Area 48sqm

Inclusive of Internal Floor Area of 46sgm and



WITH LIVING/DINING/BEDROOM **FLOOR FINISHES**

2-ROOM FLEXI (TYPE 2) FLOOR PLAN

(With Suggested Furniture Layout)

Approx. Floor Area 48sqm

Inclusive of Internal Floor Area of 46sqm and Air-con Ledge



buyers can use according

to their preference. This flexible space can be used for dining, a study or to place an extra bed.

3-ROOM FLOOR PLAN

(With Suggested Furniture Layout)

Approx. Floor Area 68sqm

Inclusive of Internal Floor Area of 65sqm and



To cater to changing lifestyles and provide more flexibility in the use of kitchen space, HDB has designed the 3-room flats with a combined kitchen/ utility

The layout offers homeowners flexibility in configuring the area according to their preferences.


For example, you can add a partition to separate the utility from kitchen.

4-ROOM FLOOR PLAN

(With Suggested Furniture Layout)

Approx. Floor Area 93sqm

Inclusive of Internal Floor Area of 90sqm and Air-con Ledge





The information contained herein is subject to change at any time without notice and cannot form part of an offer or contract. While reasonable care has been taken in providing this information, HDB shall not be responsible in any way for any damage or loss suffered by any person whether directly or indirectly as a result of reliance on the said information or as a result of any error or omission therein.

SITE PLAN




FLAT TYPE	
FLEXI (TYPE 1) TO	NTAL FLATS FROM 2ND 20TH STOREY / 2 ROOM EXI (TYPE 2) FROM 21ST
	34TH STOREY 4 RO
PLAY FACILITIES	COMMUNAL AREAS
1 CHILDREN PLAYGROUND	4 PRECINCT PAVILION
2 ADULT FITNESS STATION	5 DROP-OFF PORCH
3 ELDERLY FITNESS STATION	
SOCIAL AMENITIES future amenities / Facilities at 1st storey	CHILD CARE CENTRE AT 1 st STOR
OTHERS	
LINKWAY	SERVICE BAY
LB:LINKBRIDGE S:SHELTER	Section 2 AMENITY LOCATED
TRELLIS	(BELOW)
SERVICE	AIR-WELL
SERVICE ESS: ELECTRICAL SUB- STATION AT 1ST STOREY	CENTRALISED/ RECYCLABLE
ESS: ELECTRICAL SUB- STATION	


Block	Number	Rental Flats	Flats Home Ownership Flats				
Number	of Storovs	of 2-Room Flexi Type 1 Type 2 3-Room	4-Room	Total			
	Sitileys		3-1100111	4-1100111	Total		
141A	40	-	-	-	-	233	233
141B	40	-	-	39	39	153	231
141C	24/34	38	46	51	65	-	200
Total		38	46	90	104	386	664


- 1. All proposed developments and facilities as well as their locations shown are indicative only and are subject to change and planning approval. The implementation of such proposed developments and facilities is subject to review from time to time by the
- 2. The developments and facilities shown (whether existing or proposed) may include other ancillary uses allowed under URA's prevailing Development Control guidelines. For example, places of worship and funeral parlours may include columbarium, community centres may include childcare centres, and schools may be upgraded or built with higher-rise blocks.
- 3. The use of the void deck in any apartment block, common property (such as precinct pavilion), car park or stand-alone community building for future amenities/facilities (such as childcare centres, elderly-related facilities, education centres, residents' committee centres and day activity centres), commercial facilities (such as shops and eating houses), mechanical and electrical rooms and such other facilities, is subject to review from time to time.
- 4. The residential blocks may be completed ahead of the proposed precinct facilities, so that flat buyers are able to collect the keys to their new homes earlier.
- 5. Unless otherwise indicated in the sales brochure, all facilities within the project, including
- but not limited to roof gardens and sky terraces (if any), will be open to the public.


 6. In view of the COVID-19 situation, temporary COVID-19 related facilities may be set up near residential areas by the relevant authorities.

UNIT DISTRIBUTION










BLOCK 141A BLOCK 141B BLOCK 141C



BLOCK 141A 2ND TO 7TH & 9TH TO 40TH STOREY FLOOR PLAN

WINDOW LEGEND: W1 - THREE QUARTER HEIGHT WINDOW (APPROX. 550mm HIGH PARAPET WALL)	UNLESS OTHERWISE INDICATED, ALL WINDOWS WILL BE STANDARD HEIGHT WINDOWS	SCALE 0 2 4 6 8 10 METRES	THE COLOURED FLOOR PLAN IS NOT INTENDED TO DEMARCATE THE BOUNDARY OF THE FLAT



BLOCK 141A 8TH STOREY FLOOR PLAN

WINDOW LEGEND: W1 - THREE QUARTER HEIGHT WINDOW (APPROX. 550mm HIGH PARAPET WALL)	UNLESS OTHERWISE INDICATED, ALL WINDOWS WILL BE STANDARD HEIGHT WINDOWS	SCALE 0 2 4 6 8 10 METRES	THE COLOURED FLOOR PLAN IS NOT INTENDED TO DEMARCATE THE BOUNDARY OF THE FLAT
---	--	---------------------------	---



BLOCK 141B 2ND TO 7TH & 9TH TO 34TH STOREY FLOOR PLAN

FOR 2-ROOM FLEXI FLATS, THE NUMBER OF PANELS FOR THE SLIDING PARTITION BETWEEN THE BEDROOM AND LIVING ROOM WILL DIFFER DEPENDING ON THE SELECTION OF THE OPTIONAL COMPONENT SCHEME (OCS), WHERE APPLICABLE

WINDOW LEGEND: W1 - THREE QUARTER HEIGHT WINDOW (APPROX. 550mm HIGH PARAPET WALL)	UNLESS OTHERWISE INDICATED, ALL WINDOWS WILL BE STANDARD HEIGHT WINDOWS	SCALE 0 2 4 6 8 10 METRES	THE COLOURED FLOOR PLAN IS NOT INTENDED TO DEMARCATE THE BOUNDARY OF THE FLAT
---	--	---------------------------	---



BLOCK 141B 8TH STOREY FLOOR PLAN

FOR 2-ROOM FLEXI FLATS, THE NUMBER OF PANELS FOR THE SLIDING PARTITION BETWEEN THE BEDROOM AND LIVING ROOM WILL DIFFER DEPENDING ON THE SELECTION OF THE OPTIONAL COMPONENT SCHEME (OCS), WHERE APPLICABLE

WINDOW LEGEND: W1 - THREE QUARTER HEIGHT WINDOW (APPROX. 550mm HIGH PARAPET WALL)	UNLESS OTHERWISE INDICATED, ALL WINDOWS WILL BE STANDARD HEIGHT WINDOWS	SCALE 0 2 4 6 8 10 METRES	THE COLOURED FLOOR PLAN IS NOT INTENDED TO DEMARCATE THE BOUNDARY OF THE FLAT
---	--	---------------------------	---



BLOCK 141B 35TH TO 40TH STOREY FLOOR PLAN

FOR 2-ROOM FLEXI FLATS, THE NUMBER OF PANELS FOR THE SLIDING PARTITION BETWEEN THE BEDROOM AND LIVING ROOM WILL DIFFER DEPENDING ON THE SELECTION OF THE OPTIONAL COMPONENT SCHEME (OCS), WHERE APPLICABLE

WINDOW LEGEND: W1 - THREE QUARTER HEIGHT WINDOW (APPROX. 550mm HIGH PARAPET WALL)	UNLESS OTHERWISE INDICATED, ALL WINDOWS WILL BE STANDARD HEIGHT WINDOWS	SCALE 0 2 4 6 8 10 METRES	THE COLOURED FLOOR PLAN IS NOT INTENDED TO DEMARCATE THE BOUNDARY OF THE FLAT
---	--	---------------------------	---



BLOCK 141C 2ND TO 7TH & 9TH TO 20TH STOREY FLOOR PLAN

FOR 2-ROOM FLEXI FLATS, THE NUMBER OF PANELS FOR THE SLIDING PARTITION BETWEEN THE BEDROOM AND LIVING ROOM WILL DIFFER DEPENDING ON THE SELECTION OF THE OPTIONAL COMPONENT SCHEME (OCS), WHERE APPLICABLE

WINDOW LEGEND: W1 - THREE QUARTER HEIGHT WINDOW (APPROX. 550mm HIGH PARAPET WALL)	UNLESS OTHERWISE INDICATED, ALL WINDOWS WILL BE STANDARD HEIGHT WINDOWS	SCALE 0 2 4 6 8 10 METRES	THE COLOURED FLOOR PLAN IS NOT INTENDED TO DEMARCATE THE BOUNDARY OF THE FLAT



BLOCK 141C 8TH STOREY FLOOR PLAN

FOR 2-ROOM FLEXI FLATS, THE NUMBER OF PANELS FOR THE SLIDING PARTITION BETWEEN THE BEDROOM AND LIVING ROOM WILL DIFFER DEPENDING ON THE SELECTION OF THE OPTIONAL COMPONENT SCHEME (OCS), WHERE APPLICABLE

WINDOW LEGEND: W1 - THREE QUARTER HEIGHT WINDOW (APPROX. 550mm HIGH PARAPET WALL)	UNLESS OTHERWISE INDICATED, ALL WINDOWS WILL BE STANDARD HEIGHT WINDOWS	SCALE 0 2 4 6 8 10 METRES	THE COLOURED FLOOR PLAN IS NOT INTENDED TO DEMARCATE THE BOUNDARY OF THE FLAT



BLOCK 141C 21ST TO 24TH STOREY FLOOR PLAN

FOR 2-ROOM FLEXI FLATS, THE NUMBER OF PANELS FOR THE SLIDING PARTITION BETWEEN THE BEDROOM AND LIVING ROOM WILL DIFFER DEPENDING ON THE SELECTION OF THE OPTIONAL COMPONENT SCHEME (OCS), WHERE APPLICABLE


WINDOW LEGEND: W1 - THREE QUARTER HEIGHT WINDOW (APPROX. 550mm HIGH PARAPET WALL)	UNLESS OTHERWISE INDICATED, ALL WINDOWS WILL BE STANDARD HEIGHT WINDOWS	SCALE 0 2 4 6 8 10 METRES	THE COLOURED FLOOR PLAN IS NOT INTENDED TO DEMARCATE THE BOUNDARY OF THE FLAT



BLOCK 141C 25TH STOREY FLOOR PLAN

FOR 2-ROOM FLEXI FLATS, THE NUMBER OF PANELS FOR THE SLIDING PARTITION BETWEEN THE BEDROOM AND LIVING ROOM WILL DIFFER DEPENDING ON THE SELECTION OF THE OPTIONAL COMPONENT SCHEME (OCS), WHERE APPLICABLE

WINDOW LEGEND: W1 - THREE QUARTER HEIGHT WINDOW (APPROX. 550mm HIGH PARAPET WALL)	UNLESS OTHERWISE INDICATED, ALL WINDOWS WILL BE STANDARD HEIGHT WINDOWS	SCALE 0 2 4 6 8 10 METRES	THE COLOURED FLOOR PLAN IS NOT INTENDED TO DEMARCATE THE BOUNDARY OF THE FLAT
---	---	---------------------------	---



BLOCK 141C 26TH TO 34TH STOREY FLOOR PLAN

FOR 2-ROOM FLEXI FLATS, THE NUMBER OF PANELS FOR THE SLIDING PARTITION BETWEEN THE BEDROOM AND LIVING ROOM WILL DIFFER DEPENDING ON THE SELECTION OF THE OPTIONAL COMPONENT SCHEME (OCS), WHERE APPLICABLE

WINDOW LEGEND: W1 - THREE QUARTER HEIGHT WINDOW (APPROX. 550mm HIGH PARAPET WALL)	UNLESS OTHERWISE INDICATED, ALL WINDOWS WILL BE STANDARD HEIGHT WINDOWS	SCALE 0 2 4 6 8 10 METRES	THE COLOURED FLOOR PLAN IS NOT INTENDED TO DEMARCATE THE BOUNDARY OF THE FLAT
---	--	---------------------------	---

GENERAL SPECIFICATIONS FOR MCNAIR HEIGHTS

For 2-room Flexi (short lease)

Foundation

Piled foundations.

Structure

Reinforced concrete structural framework with reinforced concrete slabs.

Roof

Reinforced concrete roof slab with precast concrete secondary roofing.

Walls

All external and internal walls are constructed with reinforced concrete/ precast panels/ drywall partition system/ precast lightweight concrete partitions.

Windows

Aluminium framed windows with tinted glass.

Doors

Entrance : laminated timber door and metal gate

Bedroom : laminated UPVC sliding partition/ door, where applicable

Bathroom/ WC : laminated UPVC folding door

Household Shelter : metal door

Living/ Dining : laminated UPVC folding door (optional)

Finishes

Living/ Dining/ Bedroom Floor : vinyl strip flooring with laminated UPVC skirting (optional)

Kitchen/ Bathroom/ WC/ : glazed porcelain tiles

Household Shelter Floor

Kitchen/ Bathroom/ WC Walls : glazed porcelain tiles

Ceilings/ Other Walls : skim coated or plastered and painted

Fittings

Quality Locksets Water Closet Suite Clothes Drying Rack

Grab Bars

Wash basin with tap mixer, bath/ shower mixer with shower set (optional)

Built-in kitchen cabinets with induction hob and cooker hood, kitchen sink and dish drying rack (optional)

Built-in Wardrobe (optional) Window Grilles (optional) Water Heater (optional) Lighting (optional)

Services

Gas services and concealed water supply pipes

Exposed sanitary stacks at Air-con ledge

Concealed electrical wiring to lighting and power points (including water heater and air-conditioning points)

Television points

Data points

Important Notes

- 1) The Household Shelter is designed for use as civil defence shelter. The walls, ceiling, floor and door of the Household Shelter shall not be hacked, drilled, altered or removed.
- 2) Laminated UPVC door frame shall be provided to all Bedroom and Bathroom/ WC door openings.
- 3) Any unused or unoccupied open spaces in front of or nearby/ adjacent to the flat units are not available for purchase and the HDB will not entertain any request from the flat owners to purchase and/ or enclose the unused or unoccupied open spaces.
- 4) The details of services in a flat, e.g. gas pipes, water pipes, sanitary stacks, electrical wiring, television points, data points, etc. are not indicated on the plans.

You are advised to visit HDB's website at www.hdb.gov.sg for information on renovation rules.

GENERAL SPECIFICATIONS FOR MCNAIR HEIGHTS

For 3-room & 4-room

Foundation

Piled foundations.

Structure

Reinforced concrete structural framework with reinforced concrete slabs.

Roof

Reinforced concrete roof slab with precast concrete secondary roofing.

Walls

All external and internal walls are constructed with reinforced concrete/ precast panels/ drywall partition system/ precast lightweight concrete partitions.

Windows

Aluminium framed windows with tinted glass.

Doors

Entrance : laminated timber door and metal gate
Bedroom : laminated UPVC door (optional)
Bathroom/ WC : laminated UPVC folding door (optional)

Household Shelter : metal door

Service Yard : aluminium framed door with glass

Finishes

Living/ Dining Floor : polished porcelain tiles with laminated UPVC skirting (optional)

Bedroom Floor : vinyl strip flooring with laminated UPVC skirting (optional)

Kitchen/ Utility/ Bathroom/ : glazed porcelain tiles

WC/ Household Shelter Floor

Service Yard Floor : glazed porcelain tiles with tile skirting

Kitchen/ Utility : glazed porcelain tiles

Bathroom/ WC Walls

Ceilings/ Other Walls : skim coated or plastered and painted

Fittings

Quality Locksets Water Closet Suite Clothes Drying Rack

Wash basin with tap mixer, bath/ shower mixer with shower set (optional)

Services

Gas services and concealed water supply pipes

Exposed sanitary stacks (which can be located at Service Yard and/ or Air-con ledge)

Concealed electrical wiring to lighting and power points (including water heater and air-conditioning points)

Television points

Data points

Important Notes

- The Household Shelter is designed for use as civil defence shelter. The walls, ceiling, floor and door of the Household Shelter shall not be hacked, drilled, altered or removed.
- 2) Laminated UPVC door frame shall be provided to all Bedroom and Bathroom/ WC door openings.
- 3) Any unused or unoccupied open spaces in front of or nearby/ adjacent to the flat units are not available for purchase and the HDB will not entertain any request from the flat owners to purchase and/ or enclose the unused or unoccupied open spaces.
- 4) The details of services in a flat, e.g. gas pipes, water pipes, sanitary stacks, electrical wiring, television points, data points, etc. are not indicated on the plans.

You are advised to visit HDB's website at www.hdb.gov.sg for information on renovation rules.

DISCLAIMER

- 1) HDB owns the copyright in all information, maps, and plans of this brochure.
- 2) The content provided in this brochure is not intended to form part of any offer or contract for the sale of flats. They are provided for your general information only and are not statements or representations of fact.
- 3) Visual representations such as pictures, art renderings, depictions, illustrations, photographs, drawings, as well as other graphic representations and references are only artistic impressions. They are provided for your general information only, and are not representations of fact.
- 4) The information on this project, including but not limited to the dimensions, areas, plans, colour schemes, descriptions, and specifications, are subject to change or review without notice at our sole discretion or if required by the relevant authorities.
- 5) We may at any time, without any notice and at our sole discretion, change any aspect of this project, including but not limited to the omission, amalgamation, increase, or reduction of amenities and facilities, colour schemes, design features, and specifications.
- 6) We will not entertain any request for alteration of the layout or specifications of a flat to suit individual needs.
- 7) While reasonable care has been taken in providing the information in this brochure, we do not warrant its accuracy. We shall not be responsible in any way for any damage or loss suffered by any person whether directly or indirectly as a result of reliance on the said information or as a result of any error or omission therein.
- 8) The floor areas shown are scaled strata areas and are subject to final survey.
- 9) The surrounding land use, proposed facilities and their locations as shown in the maps and plans are indicative only and subject to change. They may include ancillary uses allowed under the Urban Redevelopment Authority's prevailing Development Control guidelines.
- 10) We reserve the right to use or allow the use of any:
 - · Void deck of any apartment block
 - Car park;
 - Common property (such as precinct pavilion); or
 - · Standalone community building,

for

- Future amenities/ facilities (such as child care centres, elderly-related facilities, education centres, residents' committee centres, and day activity centres):
- · Commercial facilities (such as shops and eating houses);
- · Mechanical and electrical rooms; and
- · Such other facilities as we deem fit.
- 11) This brochure does not and is not intended to provide full and complete information of the guidelines or requirements of the relevant authorities. You are advised to approach the relevant authorities directly for full information and details of these guidelines and requirements.



Copyright © Housing & Development Board All rights reserved. February 2021

OPTIONAL COMPONENT SCHEME

(2-ROOM FLEXI FLATS - MCNAIR HEIGHTS)

The Optional Component Scheme (OCS) provides convenience for flat buyers, and is offered on an opt-in basis. Choose the OCS items you want before your flat selection appointment. The cost of the OCS items will be added to the selling price of the selected flat.

The 2-room Flexi flats come in 2 sizes: 36sqm and 46sqm, and are only offered to seniors (aged 55 and above) on short leases between 15 and 45 years (in 5-year increments).

All 2-room Flexi flats come with:

- floor finishes in the kitchen, household shelter and bathroom
- · wall tiles in bathroom and kitchen
- sliding partition/ door for bedroom; folding bathroom door
- water closet suite in the bathroom



Grab bars will be installed for all short-lease flats to assist elderly buyers in moving around the flats

FOR ALL 2-ROOM FLEXI FLATS

PACKAGE 1

- Flooring in the living/ dining room and bedroom
- 3-panel sliding partition, separating the living room and bedroom

Note:

Those who opted out of Package 1 will be provided with a 2-panel sliding partition separating living room and bedroom.



3-panel sliding partition



2-panel sliding partition

PACKAGE 2

Sanitary fittings, i.e. washbasin with tap mixer and shower set with bath/ shower mixer





Disclaimer: All displays and images shown here are strictly for reference only and are subject to change without notice. The displays and images shown here are conceptual and indicative only and the colour schemes, design, dimensions, type, tonal differences and specifications may differ from the actual fittings installed in the flat.



OPTIONAL COMPONENT SCHEME

(2-ROOM FLEXI FLATS - MCNAIR HEIGHTS)

FOR SHORT-LEASE 2-ROOM FLEXI FLATS ONLY

offers elderly buyers the convenience of having a flat in move-in condition. It comprises:

ELDERLY-FRIENDLY FITTINGS



Built-in kitchen cabinets with induction hob and cooker hood, kitchen sink, tap and dish drying rack.




Here are some features of an induction hob:

- It does not produce an open flame · Its cooking zone cools down faster
- It is easier to clean than a gas hob
- · As it has a flat surface, pots placed on an induction hob are less likely to topple over.

With these features, the use of the induction hob would promote a safer and cleaner environment.

- Kitchen cabinets come with mobile cabinets to provide knee space (especially for wheelchair users)
- Built-in bedroom wardrobe with a lower clothes hanging rod for easy reach

An option to have a lower counter top height



Folding door at the

flexible space next to

bedroom



OTHER FITTINGS



Window grilles for safety and security



Mirror



Toilet roll holder



Lighting



Water heater

Buyers who opt for Package 3 must select Package 1.

Disclaimer: All displays and images shown here are strictly for reference only and are subject to change without notice. The displays and images shown here are conceptual and indicative only and the colour schemes, design, dimensions, type, tonal differences and specifications may differ from the actual fittings installed in the flat.



OPTIONAL COMPONENT SCHEME

(3-, 4-ROOM FLATS – MCNAIR HEIGHTS)

The Optional Component Scheme (OCS) provides convenience for flat buyers, and is offered on an opt-in basis. Choose the OCS items you want before your flat selection appointment. The cost of the OCS items will be added to the selling price of the selected flat.

These flats come with:

- floor finishes in the kitchen, household shelter, service yard and bathrooms
- wall tiles in the bathrooms and kitchen
- water closet suite in each bathroom

YOU CAN CHOOSE TO HAVE THE FOLLOWING ITEMS INSTALLED IN YOUR SELECTED FLAT:

- Floor finishes for living/ dining room and bedrooms
- Internal doors + sanitary fittings
 - wash basin with tap mixer
 - shower set with bath/ shower mixer



Wash basin with tap mixer in attached bathroom



Wash basin with tap mixer



Handheld shower set with bath/ shower mixer

