

Scale 0

100

LEGEND:

Contracts with additional 2-Room Flats

-O- LRT Line & Station

==== Under Construction / Future Road


(u/c) Under Construction

Metres

500

300





Service Bay







LAYOUT IDEAS FOR 2-ROOM APPROX. FLOOR AREA 47 sqm (Inclusive of Internal Floor Area 45 sqm and Air-Con Ledge)



GENERAL SPECIFICATIONS FOR SEGAR GROVE

Foundation

Piled foundations.

Structure

Reinforced concrete structural framework with reinforced concrete slabs.

Roof

Reinforcement concrete roof slab with precast concrete secondary roofing.

Walls

All external and internal walls are constructed with reinforced concrete / solid blocks / bricks with cement plastering/precast panels/precast lightweight concrete partitions.

Windows

Aluminium framed windows with tinted glass.

Doors

Entrance : decorative solid timber door and metal gate Bedroom : laminated semi-solid timber door (Type D9a)

Bathroom/WC : laminated semi-solid timber door for 3 Room & 4 Room (Type D9a)

: acrylic panel-folding door for 2 Room

Household Shelter : metal door

Service Yard : aluminium framed door with glass

Finishes

Ceiling : skim-coated or plastered and painted

Bathrooms/WC/Kitchen wall : glazed ceramic tiles

Other walls : skim-coated or plastered and painted : ceramic tiles with timber skirting #

Kitchen floor : ceramic tiles
Bathroom/WC floor : ceramic tiles

Service Yard floor : ceramic tiles with tile skirting

Household Shelter floor : ceramic tiles

Please note that the flat list (provided to buyers who are invited to select a flat) will indicate if the floor finish has been provided for a particular unit.

Fittings

Quality locksets. Quality sanitary fittings. Clothes drying rack.

Services

Gas services and concealed water supply pipes.

Concealed electrical wiring to lighting and power points (including water heater and air-conditioning points).

Television points.

Telephone points.

Important Notes:

- The Household Shelter is designed for use as civil defence shelter. The walls, ceiling, floor and door of the Household Shelter shall not be hacked, drilled, altered or removed.
- Air-con panel in the main bedroom will not be provided.
- 3) Any unused or unoccupied open spaces in front of or nearby / adjacent to the flat units are not available for purchase and that the HDB will not entertain any requests from the flat owners to purchase and / or enclose the unused or unoccupied open spaces.

You are advised to visit HDB's website at www.hdb.gov.sg for information on renovations rules.













LAYOUT IDEAS FOR 2-ROOM

APPROX. floor area 46 sqm (Inlcusive of Internal Floor Area 45 sqm and Air-Con Ledge)



GENERAL SPECIFICATIONS FOR SENJA PARC VIEW

Foundation

Piled foundations.

Structure

Reinforced concrete structural framework with reinforced concrete slabs.

Roof

Reinforced concrete roof slab with precast concrete secondary roofing.

Walls

All external and internal walls are constructed with reinforced concrete/ solid blocks/ bricks with cement plastering/ precast panels/ precast lightweight concrete partitions.

Windows

Aluminium framed windows with tinted glass.

Doors

Entrance : decorative solid timber door and metal gate Bedrooms : laminated semi-solid timber door (Type D9a)

Bathrooms/WC : laminated semi-solid timber door for 3 & 4 Room (Type D9a)

: acrylic panel folding door for 2 Room

Household Shelter : metal door

Service Yard : aluminium framed door with glass

Finishes

Ceilings : skim-coated or plastered and painted

Kitchen/Bathrooms/WC walls : glazed ceramic tiles

Other Walls : skim-coated or plastered and painted Living/Dining/Bedrooms floor : ceramic tiles with timber skirting #

Kitchen/Bathrooms/WC floor : ceramic tiles

Service Yard floor : ceramic tiles with tile skirting

Household Shelter floor : ceramic tiles

Please note that the flat list (provided to buyers who are invited to select a flat) will indicate if the floor finish has been provided for a particular unit.

Fittings

Quality locksets.
Quality sanitary fittings.
Wash basin for Bathroom/WC.
Clothes Drying Rack.

Services

Gas services and concealed water supply pipes.

Concealed electrical wiring to lighting and power points (including water heater and air-conditioning points).

Television points.

Telephone points.

Important Notes:

- The Household Shelter is designed for use as civil defence shelter. The walls, ceiling, floor and door of the Household Shelter shall not be hacked, drilled, altered or removed.
- 2) Air-con panel in the main bedroom will not be provided.
- 3) Any unused or unoccupied open spaces in front of or nearby / adjacent to the flat units are not available for purchase and that the HDB will not entertain any requests from the flat owners to purchase and / or enclose the unused or unoccupied open spaces.

You are advised to visit HDB's website at www.hdb.gov.sg for information on renovations rules.